

**Submission date:** 22-Mar-2022 01:32PM (UTC+0700)

**Submission ID:** 1789930904

File name: 132-Article\_Text-1387-1-10-20220321.pdf (368.66K)

Word count: 4357

**Character count: 22479** 

JRSSEM 2022, Vol. 01, No. 8, 1061 – 1071 E-ISSN: 2807 - 6311, P-ISSN: 2807 - 6494



# TEACHERS' KNOWLEDGE ABOUT DENTAL TRAUMA AND ITS MANAGEMENT IN PRIMARY SCHOOLS IN JAKARTA, INDONESIA

Yufitri Mayasari<sup>1\*</sup>
Rahayu Dwi Setia Wibowo<sup>2</sup>
Department of Dental Public Health, Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), Jakarta
Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), Jakarta
e-mail: yufitrimayasari@dsn.moestopo.ac.id
\*Correspondence: yufitrimayasari@dsn.moestopo.ac.id

Submitted: 23 February 2022, Revised: 04 March 2022, Accepted: 15 March 2022

Abstract. Traumatic dental injuries often occur in children aged 7-12 years during school hours. However, most teachers are not aware of first aid for traumatic dental injuries. There are 2 types of elementary schools, namely public elementary schools and private elementary schools. This study aims to explain the difference in knowledge about traumatic dental injury and its first aid management between public and private school teachers. Analytical research was conducted using a cross sectional approach and the sampling method was carried out using purposive sampling. Questionnaires in the form of Google Forms were 1 sed to collect data. Data were statistically analysed using Chi-square test for any correlation. Based on the results of the study that there is no significant difference in knowledge between public and private school teachers. The highest value is 0.752 and the lowest p-value is 0.102 (p > 0.05). So it can be concluded that this study did 1 pt find a significant difference in knowledge about first aid for traumatic dental injuries between public and private school teachers.

**Keywords:** public primary school teachers; private primary school teachers; traumatic dental injuries.

#### INTRODUCTION

Dental trauma is an injury that affects the hard tissues of the teeth and periodontal tissue due to the impact of a hard object (Dewi, Jeddy, & Badruzzaman, 2021). One of the most common dental injuries is the avulsion or removal of the entire tooth out of the socket and often occurs in children aged 7-12 years usually affecting the lips, gingiva, tongue, jaw and should be treated quickly. If not, the tooth can become infected and caused the forming of abscess which causes pulp death (Chandukutty, Peedikayil, Premkumar, Narasimhan, & Jose, 2017); (Nirwan, Syed, Chaturvedi, Goenka, & Sharma, 2016); (Al-Zaidi & Al-Asmari, 2017).

The World Health Organization (WHO) declared the prevalence of dental trauma varies depending on the country (Al-Zaidi & Al-Asmari, 2017); (Santos et al., 2010). Reported the prevalence of dental trauma in Brazil is around 16.5%. Study conducted by (Wardhana et al., 2017); (Louis et al., 2016) reported the prevalence of dental trauma in Indonesia is around 11.4%.

Traumatic dental injuries in children occur most often in school, thus, this is the place with the greatest prevalence of traumatic dental injuries (Zaleckiene, Peciuliene, Brukiene, & Drukteinis, 2014); (Balkhair, Al-Maghrabi, & Baakdah, 2020). Common causes of traumatic tooth injuries that often occur at school are falls, bumping into friends, fighting or pushing between friends. Therefore, teachers have an important role in handling traumatic tooth injuries first aid in children (Chandukutty et al., 2017); (Sreelakshmi et

al., 2016). In general, public and private school teachers receive P3K (First Aid) training in their curriculum. First aid for accidents at public schools is managed by the health centre and provided with guidance for teachers, while first aid for accidents in private schools is managed by the foundation.

Based on the results of a study conducted by Bayram M et al. in 2017 reported the knowledge of traumatic tooth injury first aid between public and private teachers is unsatisfactory. Therefore, first aid training should be carried out to increase the knowledge of public and private teachers about first aid for traumatic dental injuries (Bayram, Koruyucu, & Seymen, 2017). First aid is an immediate assistance to people who are sick or injured who need basic medical treatment before getting help from a medical professional. The main purpose of first aid is to prevent infection, prevent more severe conditions and prevent death (Qureshi, Khalid, Nigah-e-Mumtaz, Assad, <u>& Noreen</u>, 2018); (<u>Anggraini et al</u>., 2018).

Based on the background explanation above, there is a lot of study about comparing teacher's knowledge but there's no study that using the real case picture to assess the differences in teacher's knowledge about it between public and vate school in Jakarta. The purpose of this study is to explain the differences in knowledge about dental trauma and its management between public and private school teachers.

#### **METHODS**

We conducted analytical study for this study. Questionnaires were personally handed to 40 teachers from 1 public school and 1 private school in Jakarta. The study sample is part of the teacher population who met the inclusion criteria and were at the school when data collection was held. The inclusion criteria are teachers who teach at public school and private school in Jakarta and are willing to fill out a questionnaire in the Google Forms. Whilst the exclusion criteria are teachers who sign the informed consent in the Google Forms, but they are not at the school when filling out the questionnaire in the Google Forms and do not complete the questionnaire in the Google Forms.

## Ethisol clearance

Ethical approval was obtained from the Scientific Research Commission of the Faculty of Dentistry, Prof. Dr. Moestopo (Beragama) with No. 021/KIP/FKGUPDMB/VIII/2020.

#### **RESULTS AND DISCUSSION**

This study was conducted to determine differences in knowledge about traumatic tooth injury first aid between public and private school teachers. The studence was conducted on twenty public primary school teachers and twenty private primary school teachers. The questionnaire was divided

into two parts, namely the frequency distribution presented in eight questions and the teacher's knowledge about first aid dental injuries presented in nine questions.

Table 1 shows 16% of female teachers and 10% of male teachers in the public schools, while private schools have 35% female teachers and 15% male teachers. Based on teaching experience, 25% of teachers in public schools have teaching experience of more than 30 years and 45% of teachers in private schools have 10-20 years of teaching experience. 47.5% of public and private school teachers teach in the academic section and only 2.5% teach in the physical education section.

Based on having attended the first aid training, 37.5% of public school teachers have attended first aid training and 50% of private school teachers have attended first aid training. 20% of public school teachers participated in first aid training including material on the management of traumatic tooth injuries and 25% of private school teachers attended first aid training including material on traumatic dental injuries.

On average, 40% of public school teachers have never experienced traumatic tooth injuries, while 30% of private school teachers have experienced traumatic tooth injuries. Based on the experience of seeing the traumatic tooth injury, on average 25% of public teachers have seen it first hand and 27.5% of private teachers have never seen traumatic dental injury.

**Table 1.** Frequency Distribution of Respondents (N = 40)

	vate
School Scho	ol (%)

Gender         Male       10       15         Female       16       35         Teaching Experiences         10-20 years       12.5       45         20-30 years       25       2.5         > 30 years       25       2.5         Subject taught         Academic       47.5       47.5         Physical Education       2.5       2.5         Have attended first aid training         Yes       37.5       50         No       12.5       0         Have had first aid training         Yes       20       25         No       12       25         No       12       25         Have had a traumatic tooth injury         Yes       10       30         No       40       20         Have seen a traumatic tooth injury first-hand         Yes       25       22.5		(%)					
Female         16         35           Teaching Experiences           10-20 years         12.5         45           20-30 years         25         2.5           > 30 years         25         2.5           Subject taught           Academic         47.5         47.5           Physical Education         2.5         2.5           Have attended first aid training           Yes         37.5         50           No         12.5         0           Have had first aid training           Yes         20         25           No         12         25           Have had a traumatic tooth injury           Yes         10         30           No         40         20           Have seen a traumatic tooth injury first-hand           Yes         25         22.5	Gender						
Teaching Experiences           10-20 years         12.5         45           20-30 years         25         2.5           > 30 years         25         2.5           Subject taught         47.5         47.5           Academic         47.5         47.5           Physical Education         2.5         2.5           Have attended first aid training         2.5         0           No         12.5         0           Have had first aid training         20         25           No         12         25           No         12         25           Have had a traumatic tooth injury         20         25           No         40         20           Have seen a traumatic tooth injury first-hand         25         22.5	Male	10	15				
10-20 years       12.5       45         20-30 years       25       2.5         > 30 years       25       2.5         Subject taught         Academic       47.5       47.5         Physical Education       2.5       2.5         Have attended first aid training         Yes       37.5       50         No       12.5       0         Have had first aid training         Pes luding material on the management of traumatic dental injuries         Yes       20       25         No       12       25         Have had a traumatic tooth injury       10       30         No       40       20         Have seen a traumatic tooth injury first-hand       25       22.5	Female	16	35				
20-30 years       12.5       2.5         > 30 years       25       2.5         Subject taught         Academic       47.5       47.5         Physical Education       2.5       2.5         Have attended first aid training         Yes       37.5       50         No       12.5       0         Have had first aid training         Yes       20       25         No       12       25         Have had a traumatic tooth injury         Yes       10       30         No       40       20         Have seen a traumatic tooth injury first-hand         Yes       25       22.5	Teaching Experiences						
> 30 years 25 2.5  Subject taught  Academic 47.5 47.5 Physical Education 2.5 2.5  Have attended first aid training Yes 37.5 50 No 12.5 0  Have had first aid training Pes 20 25 No 12 25  No 12 25  Have had a traumatic dental injuries Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand Yes 25 22.5	10-20 years	12.5	45				
Subject taught  Academic 47.5 47.5 Physical Education 2.5 2.5  Have attended first aid training Yes 37.5 50 No 12.5 0  Have had first aid training Interpretation the management of traumatic dental injuries  Yes 20 25 No 12 25  Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	20-30 years	12.5	2.5				
Academic 47.5 47.5 Physical Education 2.5 2.5  Have attended first aid training  Yes 37.5 50 No 12.5 0  Have had first aid training  including material on the management of traumatic dental injuries  Yes 20 25 No 12 25  Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	> 30 years	25	2.5				
Physical Education 2.5 2.5  Have attended first aid training  Yes 37.5 50  No 12.5 0  Have had first aid training indicated injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Subject taught						
Have attended first aid training  Yes 37.5 50  No 12.5 0  Have had first aid training  Coluding material on the management of traumatic dental injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Academic	47.5	47.5				
Yes 37.5 50 No 12.5 0 Have had first aid training including material on the management of traumatic dental injuries  Yes 20 25 No 12 25 Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Physical Education	2.5	2.5				
Yes 37.5 50 No 12.5 0  Have had first aid training including material on the management of traumatic dental injuries  Yes 20 25 No 12 25  Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Have attended first aid						
No 12.5 0  Have had first aid training  izorluding material on the management of traumatic dental injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	training						
Have had first aid training  izocluding material on the management of traumatic dental injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Yes	37.5	50				
Traumatic dental injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	No	12.5	0				
management of traumatic dental injuries  Yes 20 25  No 12 25  Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Have had first aid training						
Yes 20 25 No 12 25 Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	[25]:luding material on the						
Yes 20 25 No 12 25  Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	management of						
No 12 25  Have had a traumatic tooth injury  Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	traumatic dental injuries						
Have had a traumatic tooth injury  Yes 10 30  No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Yes	20	25				
Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	No	12	25				
Yes 10 30 No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Have had a traumatic						
No 40 20  Have seen a traumatic tooth injury first-hand  Yes 25 22.5	tooth injury						
Have seen a traumatic tooth injury first-hand  Yes 25 22.5	Yes	10	30				
tooth injury first-hand  Yes 25 22.5	No	40	20				
Yes 25 22.5	Have seen a traumatic	Have seen a traumatic					
	tooth injury first-hand						
No. 25 27.5	Yes	25	22.5				
NO 25 21.5	No	25	27.5				

Table 2 shows that on average 22.5% of public teachers sought for dentist's treatment first and 17.5% of private teachers contacted the school dental clinic first if their students had traumatic tooth injuries. Based on the results of the study, table 3 shows that on average there is no difference in knowledge about first aid traumatic dental injuries between public and private school teachers.

**Table 2.** Frequency Distribution Based on First Contacted Get the Treatment (N = 40)

First Contacted to Get the Treatment	Public School (%)	Private School (%)
Medical doctor	2.5	2.5
Dentist	22.5	12.5
General Hospital	7.5	7.5
Dental Hospital	0	2.5
School dental clinic	12.5	17.5
Giving care on site	2.5	5
Others	2.5	2.5

Table 2 shows that on average 22.5% of public teachers soughtdentist's treatment firstand 17.5% of private teachers contacted the school dental clinic first if their students had traumatic tooth injuries. 2.5% public teachers contacted the public health centre and 2.5% of private teachers contacted the School Health Service (UKS) to be checked and referred to the nearest hospital.

Based on the results of the study, table 3 shows that the highest p-value of 0.752 (p 0.05) means that there is no difference in knowledge about traumatic dental injury first aid between public dental private school teachers and the lowest p-value is 0.102 (p > 0.05) means that there is no difference in knowledge about first aid for trainmatic tooth injuries between public and private school teachers.

**Table 3.** The Differences in Knowledge about The First Aid Management of Traumatic Tooth Injury Between Public and Private School Teachers

<b>Public School</b>		Private School		
Correct	Incorrect	Correct	Incorrect	P value
9	11	10	10	0.752
(45%)	(55%)	(50%)	(50%)	
5	15	10	10	0.102
(25%)	(75%)	(50%)	(50%)	
7	13	9	11	0.519
	9 (45%) 5 (25%)	Correct         Incorrect           9         11           (45%)         (55%)           5         15           (25%)         (75%)	Correct         Incorrect         Correct           9         11         10           (45%)         (55%)         (50%)           5         15         10           (25%)         (75%)         (50%)	Correct         Incorrect         Correct         Incorrect           9         11         10         10           (45%)         (55%)         (50%)         (50%)             5         15         10         10           (25%)         (75%)         (50%)         (50%)

DOI: 10.36418/jrssem.v1i8.132 https://jrssem.publikasiindonesia.id/index.php/jrssem/index

Correct Answer:	(35%)	(65%)	(45%)	(55%)	
I will tell them to go to the					
dentist if they experience					
pain later					
Case C1	17	3	14	6	0.256
Correct Answer:	(85%)	(15%)	(70%)	(30%)	
I will move the teeth with					
my fingers and take them					
immediately to the dentist					
Case D1	2	18	5	15	0.212
Correct Answer:	(10%)	(90%)	(25%)	(75%)	
Ask them to bite a					
handkerchief to control the					
bleeding					
Case D2	1	19	2	18	0.548
Correct Answer:	(5%)	(95%)	(10%)	(90%)	
Immediately					
Case D3	10	10	17	3	0.110
Correct Answer:	(50%)	(50%)	(85%)	(15%)	
Rinse the tooth with tap					
water					
Case D4	12	8	5	15	0.519
Correct Answer:	(60%)	(40%)	(25%)	(75%)	
The tooth is placed in the					
liquid					
Case D5	2	18	0	20	0.147
Correct Answer:	(10%)	(90%)		(100%)	
Milk					

32

Based on the gender in public schools and the private schools, the percentage of female teachers who are the samples of the study is more compared to the male teachers. Based on the data of teachers in DKI Jakarta Kemendikbud 2020, the number of female teachers was 46,972 people and the number of male teachers was 23,727.

Most of the samples in this study have had teaching experience for 10-20 years.

This is in line with the source of the 2003 labour law which describes the working period of teachers up to the age of 60 years. Based on the subjects taught, the teachers who teach in the academic section were higher than teachers who teath in the physical education section, both in public and private primary schools.

In this study, it was found that most of the teachers in both schools had attended first aid training, even all of the private teachers had attended this training. Based on Law no. 23 of 1992, concerning Health states that the School Health Service (UKS) is compulsory to be held in schools. On average, only UKS teachers are required to follow first aid training because they can do first aid if students have an accident. The prevalence of traumatic tooth injury cases in Indonesia is quite large, namely around 11.4% at primary school age. This is different from the study conducted by Mergany NN et al. in 2016, the results of the study showed that teachers in Sudan had attended less first aid training compared to teachers who had never attended first aid training (Mergany, Ibrahim, & Abuaffan, 2016).

Meanwhile, the results also show that the first aid training that was followed by the study sample mostly included material nagement of traumatic dental injuries. According to the study conducted by Sharma R et al. in 2016 teachers in Bangalore City stated that only 5.7% teachers who received material about the management of traumatic dental injuries were included in the first aid training materials they attended (Sharma, Mallaiah, Kadalur, Verma, & Mallaiah, 2016). The reason is that teeth are part of the body as a whole and the number of emergency cases injures the tooth and the mouth is guite high, as many as 37.5% of children aged 7-12 years.

The results show that fewer teachers had experienced a traumatic tooth injury such as a broken tooth or a tooth protruding from the gum compared to teachers who had never experienced a traumatic tooth injury. Meanwhile, the number of teachers who had directly

witnessed the occurrence of traumatic dental injuries was higher than the number of teachers who had never directly witnessed traumatic dental injuries. Teachers who have seen first-hand the occurrence of traumatic tooth injuries have the experience. Traumatic dental injury cases often occur in schools because most teachers have seen first-hand the occurrence of traumatic tooth injuries.

Based on this study, most of the study samples stated that the first contact to seek treatment when students had dental injuries was the dentist. The results obtained are consistent with the study conducted by Bayram M et al. in 2017 which stated that public and private primary school teachers would first contact a dentist if students suffered traumatic tooth injuries (Prathyusha et al., 2015). According to a study conducted by Islam F et al. in 2017 stated that dentists can take the right action in dealing with injured students teeth compared to other health personnel.

In this study, when a male student broke his upper front tooth due to being hit by a ball from the baseball, what the teacher did dominantly was to give warm drinks and immediate contact his parents. This is different from the study conducted by Baharin F<sub>13</sub> al. in 2019 which stated that the teacher would contact his parents and ask them to take him to the dentist (Bal 16 in, Osman, & Adnan, 2019).

Based on the results of this stars, most of the teachers believed that a broken on the could not heal by being reattached. This is in line with a study conducted by Anand A et al. in 2016 which stated that teachers argued that a broken tooth could

not be reconnected. This reflects the lack of knowledge of teachers about first aid dental injuries.

In this study, it is stated that when a female student's tooth hit a chair, there was not much damage but slightly had mobility on the tooth and a little bleeding in the gums of the upper front teeth, most of the teachers immediately sent these students to the dentists, both public and private primary school teachers. According to the study by Tzimpoulas N et al. in 2019, the highest results were obtained, namely, teachers did not take any action and immediately sent students to the dentist, then some teachers controlled the bleeding before sending students to the dentist. Controlling the bleeding is important to avoid large amounts of blood loss because if you lose large amounts of blood, it can cause the body to become limp.

The results show that when students hit their friends while running and the teacher realized that their upper left front teeth were detached from the palate, most of the teachers thought that they should not touch their teeth and took them to the dentist immediately. This is different from the results of the Sudy conducted by Krishnan R et al. in 2018 which declared that the teacher of public and private schools believe that teachers will replant the tooth which has fallen out of the socket. According to the study of Alamsyah RM et al. in 2018 showed the correct action, namely moving the tooth that is separated from the socket with the fingers but only holding the crown because holding the tooth at the root can damage the fibres of the periodontal ligament.

In this study, the majority of the

teachers asked their students to bite a handkerchief to control the bleeding when the upper front tooth lost and bleeding because the student fell from the stairs. This is in line with the study of Attarzadeh H et al. in 2017 which stated that the highest result was the teachers asked their students to bite a handkerchief to stop bleeding.

The results of this study indicate that the teachers think that they will immediately see a dentist after the tooth is removed from the socket where the tooth is embedded and some teachers also think that it will take 30 minutes to see a dentist. According to the study by Halawany HS et al. in 2014, the highest results were obtained, namely, the teacher immediately went to the dentist after the tooth fell out of the socket. The tooth must be inserted back into the socket within the minimum time possible, which is less than 30 minutes after the tooth has fallen out of the socket.

Based on the results of the data, if the loose tooth was dirty and the teachers decided to put it back in the tooth socket, most of the teachers rinsed the tooth with water. This is consistent with study conducted by Francisco SS et al. in 2015 which showed the highest results that were obtained, namely the teacher rinsing the teeth using tap water if the loose tooth is dirty and they decide to put it back in the tooth socket.

The study conducted by Reynard E et al. in 2016 stated that the right thing for teachers to do is to clean teeth using running water if the loosed ooth is dirty before being put back in the socket. According to the guidelines of the International Association of Dental

Traumatology (IADT), the tooth that falls out of the socket in a dirty state must be rinsed for 10 seconds using running water without brushing the teeth so that they do not cause infection due to germs that stick to the teeth.

In this study, the highest results were obtained, namely tissue paper as a container to bring the tooth to the dentist and if the teacher could not return the tooth to the socket and the liquid to bring the tooth to the dentist is tap water. This is in line with the study of Baharin F et al. 2019 which showed that most of the teachers think of tissue paper as a container for carrying teeth to the dentist and the liquid used to bring teeth to the dentist is tap water.

This is different from the study of Reynard E et al. in 2016 which reported the correct answer is the tooth is placed in the liquid and the liquid used is milk. Milk is the best storage medium because it has a neutral pH to maintain the vitality of the periodontal ligament.

According to study conducted by Alamsyah RM et al. in 2018, there was a

### CONCLUSIONS

Based on the results of this study, it can be concluded that there is no difference in knowledge between public and private elementary school teachers. This is due to various reasons, including the ineffectiveness of the emergency health

#### REFERENCES

Al-Zaidi, Ali Abdulrahman, & Al-Asmari, A. A. (2017). Knowledge of teachers and significant difference between the knowledge of public and private primary school teachers because teachers in public elementary schools went through a test before being accepted to work in public schools so that the quality of their teachers was better than that of private schools.

astated that there was no significant difference in knowledge about first aid traumatic tooth injuries between public and private primary school teachers. Therefore, it is necessary to include training materials on first aid for traumatic tooth injuries in the school curriculum and the procurement of dental care facilities in public and private primary schools.

In this study, it was found that private primary school teachers answered more correctly than public primary school teachers. Meanwhile, more public primary school teachers answered incorrectly than private primary school teachers. This proves that there is no difference in knowledge about first aid for traumatic tooth injury between public and private school teachers.

service system in schools. The UKS or UKGS in schools is not sufficient to provide first aid for traumatic tooth injuries. Also, not all teachers have received first aid training terials for traumatic tooth injuries, so the teachers do not have sufficient knowledge in dealing with traumatic tooth injuries.

14

parents about emergency management of dental trauma in Qassim province, Saudi Arabia. *Int J Contemp Med Res*, 4(10), 125–131. Anggraini, Novita Ana, Mufidah, Asna, Putro, Danang Surono, Permatasari, Irma Sartika, Putra, Irwan Nur Ardhianata, Hidayat, Mokhammad Arif, Kusumaningrum, Ruly Widya, Prasiwi, Mordani Fahry, & Suryanto, Andi. (2018).Pendidikan Kesehatan Pertolongan Pertama pada Kecelakaan Masyarakat di Kelurahan Dandangan. Journal of Community 33gagement in Health, 1(2), 21–24. https://doi.org/10.30994/jceh.v1i2.10

Baharin, Fadzlinda, Osman, Nor Fatimah, & Adnan, Munirah Mohd. (5019). Knowledge and attitude towards dental trauma management among primary school teachers. *Padjadjaran Journal of Dentistry*, 3(3), 161–166. https://doi.org/10.24198/pjd.vol31no3. 24740

Balkhair, Ola J., Al-Maghrabi, Haten A., & Baakdah, Rania A. (2020). Knowledge and Attitudes of Female Teachers Towards the Emergency Management of Traumatic Dental Injuries in Jeddah City: A Cross-Sectional Study. Journal of King Abdulaziz University: Medical Sciences, 2(1).

Bayram, Merve, Koruyucu, Mine, & Seymen, Figen. (2017). Assessment of sowledge among public and private elementary school teachers in dental trauma management. *Dentistry 3000, 5*(1), 9–15. https://doi.org/10.5195/d3000.2017.60

Chandukutty, Divya, Peedikayil, Faizal C., Premkumar, Chandru T., Narasimhan, Dhanesh, & Jose, Deepak. (2017). Awareness of dental trauma management among school teachers of Kannur, Kerala, India. Journal of Clinical and Diagnostic Research: JCDR, 2(2),

202–219. 10.7860/JCDR/2017/19308.9252

Dewi, Afifah Refiana, Jeddy, Jeddy, & Badruzzaman, Idham Tegar. (2021). Gambaran Tingkat Pengetahuan Dan Sikap Ibu Tentang Trauma Gigi Permanen Pada Anak Usia 8-12 Tahun: Kajian pada Ibu dari Murid SD Nabawi Islamic School, Kota Jakarta Timur (Laporan Karus). Jurnal Kedokteran Gigi Terpadu, 3(1).

Louis, David N., Perry, Arie, Reifenberger, Guido, Von Deimling, Andreas, Figarella-Branger, Dominique, Cavenee, Webster K., Ohgaki, Hiroko, Wiestler, Otmar D., Kleihues, Paul, & Ellison, David W. (2016). The 2016 World Health Organization classification of tumors of the central nervous system: a summary. Acta Neuropathologica, 3(6), 803–820.

Mergany, Nissreen N., Ibrahim & YahiaE, & Abuaffan, Amal H. (2016). Knowledge and attitude of sudanese school health teachers regarding first aid management of dental trauma. *Age*, 5(7), 27–28.

Nirwan, Mitakshara, Syed, Ather Ahmed, Chaturvedi, Shefa Goenka, Puneet, & Sharma, Swati. (2016). Awareness in primary school teachers regarding traumatic dental injuries in children and their emergency management: A survey in South Jaipur. International Journal of Clinical Pediatric Dentistry, 9(1), 62. 10.5005/jp-journals-10005-1335

Prathyusha, P., Harshini, T., Haripriya, B., Pramod, I. John, Swathi, K., & Samyuktha, C. Lalitha. (2015). Knowledge and awareness regarding avulsion and its immediate treatment in school teachers in Bangalore City (South). Journal of International Oral

**1071** | Teachers' Knowledge About Dental Trauma and Its Management in Primary Schools in Jakarta, Indonesia

Health: JIOH, 7(8), 93.

Qur 12 ni, Farhan Muhammad, Khalid, Nadia, Nigah-e-Mumtaz, Seema, Assad, Tahira, & Noreen, Khola. (2018). First aid facilities in the school settings: Are schools able to manage adequately? Pakistan Journal of Medical Sciences, 3(2), 272. 10.12669/pjms.342.14766

Santos, Saulo Ellery, Marchiori, Érica Cristina, Soares, Adriana Jesus, Asprino, Luciana, de Souza Filho, Francisco José, De Moraes, Marcio, & Morez, Roger William Fernandes. (2010). A 9-year retrospective study of dental trauma in Piracicaba and neighboring regions in the State of São Paulo, Brazil. Journal of Oral and Maxillofacial Surgery, 6(8), 2326–1832.

https://doi.org/10.1016/j.joms.2009.10. 006

Sharma, R., Mallaiah, P., Kadalur, U. G., Serma, S., & Mallaiah, P. (2016). Knowledge and attitude of school teachers with regard to emergency management of dental trauma in

© 2021 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY SA) license (https://creativecommons.org/licenses/by-sa/4.0/).

Bangalore city. *Int J Oral Health Med Res*, 3(1), 38–43.

Sreelakshmi, N., Reddy, E. Rajendra, Rani, S. Thabitha, Aduri, Rajesh, Jamar, L. Vinay, & Mahita, P. V. (2016). Assessment of knowledge and attitude among public and private school teachers in urban and rural areas towards management of traumatic dental injuries. *Journal of International Oral Health*, 8(3), 344. 10.2047/jioh-08-03-09

Wardhana, Aditya, Basuki, Adi, Prameswara, Arina Dina H., Rizkita, Dita Nadya, Andarie, Attika Adri 10 i, & Canintika, Anissa Feby. (2017). The epidemiology of burns in Indonesia's national referral burn center from 2013 to 2015. Burns Open, 1(2), 67–73. https://doi.org/10.1016/j.burnso.2017.08.002

Zaleckiene, Vaida, Peciuliene, Vytaute, Brukiene, 20 ma, & Drukteinis, Saulius. (2014). Traumatic dental injuries: etiology, prevalence and possible outcomes. Stomatologija, 6(1), 7–14.

**ORIGINALITY REPORT** 

18% SIMILARITY INDEX

%
INTERNET SOURCES

18%
PUBLICATIONS

%

STUDENT PAPERS

**PRIMARY SOURCES** 

Cavit Çolakoğlu, Arda Toygar. "The psychological effect of compensation on decent work dimensions: a research on public and private school teachers in Turkey", International Journal of Social Economics, 2021

2%

Publication

Navin A Ingle, Mohammad A Baseer, Jamal A Alsanea, Sultan Binalrimal, Ghada Alotaibi, Khalaf M Almutairi. "Knowledge and Attitudes of Primary Wing School Teachers toward Dental Trauma and its Management in Qassim, Kingdom of Saudi Arabia", Journal of Oral Health and Community Dentistry, 2020

1%

Faten A. Alluqmani, Ola M. Omar.
"Assessment of schoolteachers' knowledge about management of traumatic dental injuries in Al-Madinah city, Saudi Arabia", European Journal of Dentistry, 2019

1 %

**Publication** 

4	Saulo Ellery Santos, Érica Cristina Marchiori, Adriana Jesus Soares, Luciana Asprino et al. "A 9-Year Retrospective Study of Dental Trauma in Piracicaba and Neighboring Regions in the State of São Paulo, Brazil", Journal of Oral and Maxillofacial Surgery, 2010 Publication	1 %
5	Ali A Assiry, Siraj DAA Khan, Saleh MH Al Yami, Mansour HT Al Makrami et al. "Assessment of Knowledge and Attitudes of School Teachers Regarding Emergency Management of an Avulsed Permanent Tooth of Southern Region of Saudi Arabia", International Journal of Clinical Pediatric Dentistry, 2020 Publication	1 %
6	Aditya Wardhana, Adi Basuki, Arina Dina H. Prameswara, Dita Nadya Rizkita, Attika Adrianti Andarie, Anissa Feby Canintika. "The epidemiology of burns in Indonesia's national referral burn center from 2013 to 2015", Burns Open, 2017 Publication	1%
7	Dinthisrang Daimary, Mayur Bhargab Bora, Khwairakpam Amitab, Debdatta Kandar. "Brain Tumor Segmentation from MRI Images using Hybrid Convolutional Neural Networks", Procedia Computer Science, 2020	1 %

Publication

8	Nitesh Tewari, Shubhi Goel, Morankar Rahul, Vijay Prakash Mathur et al. "Global status of knowledge for prevention and emergency management of traumatic dental injuries among school teachers: A systematic review and meta - analysis", Dental Traumatology, 2020 Publication	1%
9	Hussain Gadelkarim Ahmed. "Knowledge and Practice of Saudi Civilians towards Management of Dental Trauma and Avulsed Tooth", Journal of Dental Health, Oral Disorders & Therapy, 2017	1%
10	Zeynep Şener Bahçe, Tülin Öztaş. "Epidemiological analysis of patients with burns in third - line hospitals in Turkey", International Wound Journal, 2020 Publication	1 %
11	A Khan, A Goyal, V Somaiya, A Rathesh, J Sathiyamoorthy, K Larkin, SD Currell, AJ Nimmo. "Knowledge of Australian primary education providers towards dental avulsion injuries: a cross - sectional study", Australian Dental Journal, 2019	1 %

Martin Chukwudi Ekeh, Roy Venketsamy. "Chapter 37-1 Ensuring Child-Friendly

12

# Learning Environments in Nigerian Early Childhood Centers", Springer Science and Business Media LLC, 2020

Publication

Reagan M Mogire, John Muthii Muriuki, Alireza Morovat, Alexander J Mentzer et al. "Vitamin D deficiency and its association with iron deficiency in African children", Cold Spring Harbor Laboratory, 2022

1 %

Publication

Stipe Ivanda, Lidia Gavic, Tea Galic, Antonija Tadin. "School teachers' knowledge and experience about emergency management of traumatic dental injuries: A questionnaire - based online cross - sectional survey", Dental Traumatology, 2021

1%

Publication

Trabelsi, Shephard, Zlitni, Boukhris, Ammar, Khacharem, Khanfir, Bragazzi, Chtourou.
"Dental Trauma First-Aid Knowledge and Attitudes of Physical Education Teachers: A Systematic Review and Meta-Analysis of the Literature with Meta-Regressions", Education Sciences, 2019
Publication

<1%

Doni Setiawan, Winsen Haryono.
"Epidemiology and Characteristics of Burn
Patients in Dr. Soedarso General Hospital

<1%

## during 2017 – 2020: Retrospective Study", Open Access Macedonian Journal of Medical Sciences, 2021

Publication

Lars Andersson. "Epidemiology of Traumatic Dental Injuries", Journal of Endodontics, 2013

<1%

Margaretha Herawati, Wardaya, Wawan Mulyawan, Fanny Septiani Farhan, Frans Ferdinal, Sri Widia A. Jusman, Mohamad Sadikin. "Expression of Hypoxia-Inducible Factor-1α and Myoglobin in Rat Heart as Adaptive Response to Intermittent Hypobaric Hypoxia Exposure", HAYATI Journal of Biosciences, 2017

<1%

Publication

Cornelia Dede Yoshima Nekada, Christin Wiyani. "Pelatihan Pertolongan Pertama Pada Kecelakaan untuk Guru Sekolah Dasar se-Kecamatan Depok, Sleman, DIY", Jurnal Pengabdian Dharma Bakti, 2020

<1%

Publication

Balgis Gaffar, Jehan AlHumaid, Muhammad Ashraf Nazir, Faisal Alonaizan. "Traumatic Dental Injuries in the Eastern Region of Saudi Arabia: Factors Influencing Teachers' Management Practices", Dental Traumatology, 2020

<1%

Publication

21	Rianto Noviady Ramli, Almas Prawoto, Nyoman Putu Riasa, Iswinarno Doso Saputro, Ahmad Fawzy Mas'ud. "Epidemiology and Knowledge of First Aid Treatment Related to Burn Injury in the Rural Region of Kulon Progo, Indonesia", Open Access Macedonian Journal of Medical Sciences, 2021 Publication	<1%
22	Aditya Wardhana, Michelle Valeria, Regina Putri Apriza. "Comparison Between ABSI and BOBI Score for Burns Mortality Prediction in Indonesia's National Referral Burn Center: A 5-year Study", Burns Open, 2022	<1%
23	"Clinical Approaches in Endodontic Regeneration", Springer Science and Business Media LLC, 2019	<1%
24	Daniel Ardian Soeselo, Etheldreda Alexandria Stephanie Suparman. "Adequate fluid resuscitation decreases incidence of acute renal failure in burn patients", Universa Medicina, 2019 Publication	<1%
25	Keshni Bipath, Linda Naidoo. "Chapter 54-1 Teacher Absenteeism in South Africa",	<1%

Springer Science and Business Media LLC,

2020

26

Manal A. Awad, Eman AlHammadi, Mariam Malalla, Zainab Maklai, Aisha Tariq, Badria Al-Ali, Alaa Al Jameel, Hisham El Batawi.
"Assessment of Elementary School Teachers' Level of Knowledge and Attitude regarding Traumatic Dental Injuries in the United Arab Emirates", International Journal of Dentistry, 2017

<1%

Publication

27

W. Marcenes. "Social deprivation and traumatic dental injuries among 14-year-old schoolchildren in Newham, London", Dental Traumatology, 2/2001

<1%

Publication

28

Yufitri Mayasari, Gyovana Maharani Radianto.
"PERBEDAAN STATUS KARIES GIGI LANJUT
ANAK USIA DINI BERDASARKAN SOSIAL
EKONOMI ORANG TUA", B-Dent: Jurnal
Kedokteran Gigi Universitas Baiturrahmah,
2021

<1%

Publication

29

Salwa A. Alsadhan, Najla F. Alsayari, Mashael F. Abuabat. "Teachers' knowledge concerning dental trauma and its management in primary schools in Riyadh, Saudi Arabia", International Dental Journal, 2018

<1%

Publication

Wei'an Yang. "Chapter 18 Policy for Rural <1% 30 Primary School Teacher Supplements Over the Past 70 Years: Retrospect and Prospect", Springer Science and Business Media LLC, 2021 Publication Basim Almulhim. "Knowledge and Awareness <1% 31 of School Teachers Regarding Emergency Management of Tooth Avulsion in the Kingdom of Saudi Arabia: A Cross-Sectional Study", The Open Dentistry Journal, 2022 Publication Claudia Uribe, Richard J. Murnane, John B. <1% 32 Willett, Marie - Andrée Somers. "Expanding School Enrollment by Subsidizing Private Schools: Lessons from Bogotá", Comparative Education Review, 2006 Publication Nugrahaeni Firdausi, Maulana Rahmat <1% 33 Hidayatullah. "Pemenuhan Kebutuhan Personal Hygiene Lanjut Usia di UPT Pelayanan Sosial Lanjut Usia Jombang di Pare", Journal of Community Engagement in Health, 2020 Publication

Exclude quotes Off Exclude matches Off

Exclude bibliography Off