# jurnal internasional

**Submission date:** 03-Aug-2021 10:41AM (UTC+0700)

**Submission ID:** 1627205291

File name: 10740-Article\_Text-20297-1-10-20200812\_6.pdf (772.92K)

Word count: 3115 Character count: 16548

### Improved Oral Hygine as A Result of Successful Toothbrushing Intervention in a Restricted Community Islamic Boarding School

Pindobilowo<sup>1</sup>, Dwi Ariani<sup>2</sup>, Nadia Shabrina Amalia<sup>3</sup>, Taufan Bramantoro<sup>4</sup>

<sup>1</sup>Staff of Department of Dental Public Health, Faculty of Dentistry, Tiversitas Prof. Dr. Moestopo (Beragama), South Jakarta, Indonesia, <sup>2</sup>Staff of Department of Oral Medicine, Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), South Jakarta, Indonesia, <sup>3</sup>Undergraduate Student of Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), South Jakarta, Indonesia, <sup>4</sup> Staff of Department of Dental Public Health, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia, \*Corresponding Author: Taufan Bramantoro, Staff of Department of Dental Public Health, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia

#### Abstract

Introduction: Brushing teeth is an important thing to do since it is one of the factors that affect oral hygiene, especially to remove for que on the teeth. The ability to brush teeth properly and correctly is a fairly important factor in maintaining dental and oral health, especially in adolescence. The purpose of study to explain the differences in plaque scores before and after toothbrushing training using Bass technique in adolescents Method: The sample were 100 students aged 12-15 years old in grades 7, 8 and 9. This study design was experimental quasi and using a pre-test and post-test after 7 days to determine the difference in plaque scores before and after the training. The plaque index method that used to examine oral hygine was Patient Hygiene Performance (PHP). Comparison between plaque scores before and after training evaluated using Wilcoxon test. Result: Examination of PHP index before training shows 81 samples (81%) in poor criteria, then most subjects undergoes improvement after training. There were 94 samples (94%) experienced decrease or improvement in plaque score whilst 6 samples (6%) did not show improvement after training. Median of plaque score before training was 4.3 (0.2-5 (SD=0.502)) afterwards improved to 2.2 (0-4.8 (SD=0.496)). Wilcoxon test obtained a value of p<0.05 which was 0.000. Conclusion: There were significant differences in plaque scores before and after toothbrushing training using Bass technique.

Keywords: dental plaque, toothbrush, bass technique, oral hygiene

#### Introduction

Brushing teeth is an important thing to do since it is one of the factors that affect oral hygiene, especially to remove plaque on the teeth. Dental plaque is a bacterial biofilm with highly variable structural entity consisting of micro-organisms and their products concurrently resides in their environment. The soft layer of plaque consists of 80 percent water, and the remaining of 20 percent are other components, such as proteins, lipids and minerals, calcium and phosphorus. Bacterial deposits on uncalcified plaques accumulate above the surface of the teeth and other objects in the oral cavity, such as restorations, dentures and dental calculus that are firmly attached to this surface. Dental plaque can

only be removed by mechanical cleansing, one of which is by brushing teeth.<sup>3</sup>

The right knowledge about bruzing teeth in the community includes the frequency of brushing teeth, the method of brushing teeth, and the shape of a tootoprush. Brushing teeth can be a preventive measure for dental caries and periodontal disease, especially in adolescence.<sup>4</sup>

The ability to brush teeth properly and correctly is a fairly important factor in maintaining dental and oral health, especially in adolescence. The skill of brushing teeth must be taught to children of all ages, especially school children because at that age it is easy to accept

and instill basic values.5

Based on the results of national basic health research (riset kesehatan dasar/Riskesdas) in 2007 and 2013, oral heal 20 roblems increased from 23.2 percent to 25.9 percent. The prevalence of oral health problems based on the 10-14 years age group in 2007 was 20.6 percent, increasing in 2013 to 25.2 percent, and in the 15-24 years age group it increased from 21.5 percent to 24.3 percent. There was also an increase in the proportion of provincial oral health problems in DKI Jakarta province of 6.1 percent, from a value of 23 percent in 2007 to 29.1 percent in 2013. Whereas, the national percentage of toothbrushing every day was 94.2 percent in 15 provinces below national prevalence. There was a decline in correct toothbrushing behavior from 7.3 percent in 2007 and decreased to 2.3 percent in 2013.<sup>6,7</sup>

The purpose of this study was to explain that there were differences in plaque scores before and after toothbrushing training in adolescents aged 12-15 years at An-Nuqthah Islamic Boarding School, Cipete, Tangerang.

#### Material and Method

The independent variable was toothbrushing training and dependent variables was the score of plaque. This study was conducted at An-Nuqthah Islamic Boarding School, Cipete, Tangerang, Banten, Indonesia in 2018. The population in this study were adolescents in the An-Nuqthah Islamic Boarding School, Cipete, Tangerang and the sample in this study were 100 students aged 12-15 years old in grades 7, 8 and 9 in An-Nuqthah Islamic Boarding School.

The type and design if the study used was experimental quasi, which is an experimental study that controls the research situation using non-random methods that have a function to determine the impact of interventions. This study used a pre-test and post-test design to determine the difference in plaque scores before and after the training of toothbrushing using Bass technique.

Data collection was done using interviews, questionnaires and examination of plaque scores with disclosing agent solution. The plaque index method used was Patient Hygiene Performance (PHP). Data processing was carried out after the data was collected from school. Furthermore, data processing stage was carried out as follows: editing data, encoding data,

and data entry (computerization). Data that had been collected and processed using the SPSS 17 computer program were then tested for its hypothesis using Wilcoxon test.

#### **Research Results**

 Plaque Score Before Toothbrushing Training Using Bass technique (Pre-Test Plaque Score)

Distribution of PHP index criteria on 100 samples before toothbrushing training using Bass technique shows very good criteria in 0 sample (0%), good criteria in 1 sample (1 %), moderate criteria in 18 samples (18%), and poor criteria in 81 samples (81%).

Table 1. Distribution of PHP Index Criteria before Toothbrushing Training using Bass technique (Pre-Test Plaque Score)

PHP Index Criteria	Plaque Score	Frequency	Percentage
Very good	0	0	0%
Good	0.1-1.7	1	1%
Moderate	1.8-3.4	18	18%
Poor	3.5-5	81	81%
	TOTAL	100	100%

The assessment of plaque score in 100 samples prior to toothbrushing training using Bass technique shows that 47 persons (47%) less than the median value (4.3) while the ones with more than or equal to median value were 53 persons (53%).

Table 2. Distribution of Median Value of Pre-Test Plaque Score

Plaque Score before Toothbrushing Training Using Bass Technique	Frequency	Percentage
Less than Median (< 4.3)	47	47%
More than or equal to Median (≥ 4.3)	53	53%
Total	100	100%

2. Plaque Score after Toothbrushing Training Using Bass technique (Post-Test Plaque Score)

Distribution of PHP index criteria on 100 samples after toothbrushing training using Bass technique shows very good PHP index criteria in 1 sample (1%), good criteria in 37 samples (37%), moderate criteria in 48 samples (48%), and poor criteria in 14 samples (14%).

Table 3. Distribution of PHP Index Criteria after Toothbrushing Training using Bass Technique (Post-Test Plaque Score)

Plaque Index Criteria	Plaque Score	Frequency	Percentage
Very good	0	1	1%
Good	0.1-1.7	37	37%
Moderate	1.8-3.4	48	48%
Poor	3.5-5	14	14%
	TOTAL	100	100%

The distribution of plaque score in 100 samples after toothbrushing training using Bass technique showed that 42 samples (42%) less than the median value (2.2) while the ones with more than or equal to median value were 53 persons (53%).

Table 4. Distribution of Median Value of Post-Test Plaque Score Measurement

Plaque Score after Toothbrushing Training Using Bass Technique	Frequency	Percentage
Less than median (< 2,2)	42	42%
More than or equal to median ( $\geq 2,2$ )	58	58%
Total	100	100%

3. Comparison of Plaque Scores before and after Toothbrushing Training using Bass Technique

There was plaque score improvement in 100 sample after toothbrushing training using Bass technique, in which 94 samples (94%) experienced a decrease in plaque score after training. Whereas, 6 samples (6%) did not experience plaque score changes.

Table 5. The Precentage of Samples that Decreasing Plaque Score after Toothbrushing Training using Bass Technique

Plaque Score Indicator	Frequency	Percentage
Decrease in plaque score after training	94	94%
No change in plaque score after training	6	6%
TOTAL	100	100%

The median, minimum, maximum, and standard deviation values of the plaque score after toothbrushing training using Bass technique were lower than before training. Wilcoxon test obtained a value of p<0.05 which was 0.000. It can be concluded that there were differences in plaque scores before and after toothbrushing training using Bass technique in adolescents.

Table 6. Wilcoxon Test Results of PHP Index before and after Performing Toothbrushing Training in An-Nuqthah Islamic Boarding School, Cipete, Tangerang (n = 100)

	N	Median (minimum- maximum)	S.D	P
Plaque score before toothbrushing training		4.3 (0.2-5)	0.502	
Plaque score after toothbrushing training	100	2.2 (0-4.8)	0.496	0.000

#### Discussion

This study was conducted to determine and explain the differences in plaque scores before and after toothbrushing training using Bass technique of adolescents aged 12-15 years. This study was conducted on 64 female and 36 male students taken randomly of grade 7, 8 and 9 in junior high school students at An-Nuqthah Islamic Boarding School, Cipete, Tangerang who had fulfilled the inclusion and exclusion criteria. The measurement of plaque scores was carried out before and after toothbrushing training using Bass technique.

Bass technique is sulcular (or crevicular) technique that aims to clean the crevicular part or gingival sulcus. If this technique is used correctly, cleaning the gingival sulcus area can be very effective.<sup>3,8,11</sup> The time taken by researchers to measure plaque scores before and after toothbrushing training was 7 days, same as in the study conducted by Choirunnisa *et al.* and Sari *et al.*<sup>5,8</sup>

The distribution of samples based on gender can be seen from total sample (n = 100). The number of female samples was more (64) compared to the number of males (36). This was in accordance with previous study conducted by Sari *et al*<sup>2</sup> at At-Taufiq Lakarsantri Islamic School in Surabaya in June 2012, with a sample of 34 people, in which the number of female samples was more(24) compared to the number of males(10).

There was decrease of plaque score in most samples after training. Found 94 samples (94%) experienced improvement or decrease in plaque score and 6 samples (6%) did not show improvement (Table 3.1). The distribution was as follows: 60 samples (63.8%) were female and 34 samples (36.2%) were male who experienced improvement in plaque scores. Whereas, as many as 4 female samples (66.7%) and 2 male samples (33.3%) did not experience changes in plaque

scores. This was in line with a study conducted by Sari *et al.* In 34 samples, 33 samples (97.1%) experienced improvement in plaque scores and 1 sample (2.9%) did not experience changes in plaque scores. The distribution was as follows: 23 samples (95.8%) were female and 10 samples (100%) were male who experienced improvement in plaque scores. Whereas, as many as 1 female sample (4.2%) and 0 male sample (0%) did not experience changes in plaque scores.<sup>5</sup>

The habit of brushing teeth twice or more in one day was quite high, which was equal to 91%. However, the plaque score was still high as evidenced by 81% of total samples having poor criteria (value 3.5-5) before training (Table 1.1). This can be caused by toothbrushing technique being used is not correct. This was stated in a study conducted by Park S, Cho S and Han J in Department of Peridontology, Hanyang Medical Center, Seoul, South Korea in 2018, conducted on 124 samples also used the intervention of toothbrushing method using Bass technique. Park *et al* suggested that the effectiveness of toothbrushing techniques could be a solution for removing plaque on teeth. 9,15,16

Based on the research that has been done with Wilcoxon test (p<0.05), the value was 0.000. It means there was significant difference before and after toothbrushing training using Bass technique (Table 3.1). This study is in line with a study conducted by Rizkika *et al*<sup>14</sup> which showed that plaque scores decreased after toothbrushing training using Bass technique with mean plaque score was 4.1 before training and 2.2 after training. The difference of mean value before and after toothbrushing training using Bass technique was 1.8.

These results also consistent with a study conducted by Rizkika N, Baehaqi M and Putranto RR in Purwosari Kudus Special Elementary School in 2014 which 2134

examined the effectiveness of toothbrushing with Bass technique on changes in plaque scores in mentally retarded children. In their research, Rizkika *et al* found that brushing teeth with Bass technique could reduce plaque scores, from the mean value of plaque score as much as 3.88 before intervention to 3.03.<sup>5,17,20</sup>

From the results of the study (Table 1.2) it can be seen there was a decrease in plaque scores after toothbrushing training using Bass technique. This proves if this technique is done correctly, cleaning the gingival sulcus area can be very effective. 15,17,22 In addition, toothbrushing is one of the ways to control plaque mechanically which is quite effective in removing plaque attachment on the surface of the tooth. Plaque control is a basic procedure for maintaining oral hygiene. 3,21,23

Brushing teeth is important to do since it is one of the factors that affect dental and oral hygiene, especially in removing plaque on the teeth. Plaque on the teeth can cause a reduction in the quality of oral and dental health. Plaque is one of the etiological factors in caries and periodontal disease. Plaque will form a smooth, strong surface in the form of a deposit on the surface of the tooth. Therefore, plaque on the tooth surface must be removed by brushing teeth. 5.10,24

#### Conclusion

There were significant differences in plaque scores before and after toothbrushing training using Bass technique. Bass brushing technique is quite effective in removing plaque deposits on the tooth surface, and is quite easy to apply in daily life.

Conflict of Interest: There is no conflict of interest.

**Source of Funding:** This research use independent funding sources

Ethical Clearance: This research has received ethical approval from Etichal Clearance of health Experiment Committee, Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), South Jakarta, Indonesia with registered number 065/loloskajietik/FKGUPDM(B)/IV/2018.

#### References

- Eley BM, Soory M, Manson JD. Periodontics 6<sup>th</sup> ed. London: Saunders Elsevier. 2010: 19-21.
- Rizkika N, Baehaqi M, Putranto RR. Efektivitas Menyikat Gigi dengan Metode Bass dan Horizontal

- Terhadap Perubahan Indeks Plak pada Anak Tunagrahita. ODONTO Dental Journal. 2014: 1 (1): 29-33.
- Manson JD. Periodontics 3<sup>rd</sup> ed. London: Henry Kimpton Publishers. 1975: 25-61.
- Sartorius N. The Meaning of Health and Its Promotion. Croat Med J. 2006; 47: 662-664.
- Sari SAN, Efendi F, Dian P. Pengaruh Pendidikan Kesehatan Metode Simulasi Menggosok Gigi It knik Modifikasi Bass dengan Keterampilan dan Kebersihan Gigi Mulut pada Anak MI At-Taufiq Kelas V. Fakultas Keperawatan Universitas Airlangga. 2012: 1-9.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Laporan Riset Kesehatan Dasar 2013. Jakarta: Kementerian Kesehatan RI, 2013.
- Infodatin. Pusat Data dan Informasi Kementerian Kesehatan RI. Jakarta: Kementerian Kesehatan Republik Indonesia, 2017.
- Choirunnisa M, Agusmawanti P, Yusuf M. Perbedaan Efektiivitas Menyikat Gigi Metode Horizontal dan Metode Fones Terhadap Penurunan Indeks Plak Gigi Pada Anak Tunanetra Usia 6-13 Tahun di Semarang. ODONTO Dental Journal. 2015; 2 (2): 37-38.
- 9. Park S, Cho S, Han J. Effective Professional Intraoral Tooth Brushing Instruction Using The Modified Plaque Score: A Randomize Clinical Trial. Journal of Peridontal and Implant Science. 2018; 48(1): 22-33.
- 10. Glickman I, Smulow JB. *Periodontal Diseases*. London: W.B Saunders Company, 1974: 22.
- 11. Hoag PM, Pawlak EA. Essentials of Periodontics. Saint Louis: The C.V Mosby Company. 1976: 101-
- alaggana A, Grover V, Anjali, Kapoor A, Blaggana V, Tanwar R, Kaur H, Haneet RK, et al. Oral Health Anowledge, Attitudes and Practice Behaviour anong Secondary School Children in Chandigarh. Journal of Clinical and Diagnostic Research. 2016; 10 (10): ZC01.
- Pusat Data dan Informasi Kementerian Kesehatan RI. Situasi Kesehatan Reproduksi Remaja. Jakarta: Kementerian Kesehatan Republik Indonesia, 2017.
- 14. Sata and Statistics WHO: Presentation-Inequalities in Health: Challenges and Opportunities in Europe

- 21st Congress of The European Association of Dental Public Health on October 1st 2016 in Hungary, Budapest.
- Wei SHY, Lang NP. Periodontal Epidemiological Indices for Children and Adolescents: II. Evaluation of Oral Hygiene; III. Clinical Applications. *The* American of Pedodontics, 1982; 4 (1): 69.
- Nadya AM, Inne SS, Yetty N. Description of the difference in plaque index between normal and autistic children age 6-12 years. *International Journal of Medicine and Public Health*. 2013; 3 (3): 197-199
- Genco RJ. Microbial Dental Plaque. Dalam: Reinhardt R (Editor): Contemporary Periodontics. St.Louis, Missouri: Mosby Company. 1990: 126-134.
- Newman MG, Takei HH, Carranza FA. Clinical Periodontology 9<sup>th</sup> ed. Philadelphia: W.B. Saunders Company. 2002: 98-102.

- Wade AB. Basic Periodontology. Bristol: John Wright and Sons Ltd. 1965: 193-194.
- Yoo J-M, Shin S-C, Cho J-W, Eom K-H, Kim H-S, Lee M-G, Lee M-Y. Clinical Study on The Comparasion of Various Types of The Dental Plaque Indices. *International Journal of Clinical* Properties Dentistry. 2007; 3 (2): 111-121
- Putri MH, Herijulianti E, Nurjannah N. Ilmu Pencegahan Penyakit Jaringan Keras dan Jaringan Pendukung Gigi. Jakarta: EGC. 2011: 91-9.
- Sulastri S. Bahan Ajar Keperawatan Gigi Dental Material. Jakarta: Kementerian Kesehatan Republik Indonesia. 2017: 82-4.
- Chetruş V, Ion IR. Dental Plaque-Classification, Formation, and Identification. International International Medical Dentistry. 2013; 3(2): 139-142.
- Lindhe J. Textbook of Clinical Periodontology 2<sup>nd</sup> ed. Copenhagen: Munksgaard. 1989: 346.

## jurnal internasional

**ORIGINALITY REPORT** 

12% SIMILARITY INDEX

%
INTERNET SOURCES

12%
PUBLICATIONS

%

STUDENT PAPERS

**PRIMARY SOURCES** 

Yinglin Gao, Nikhil Gupta, Maisa Abdalla.
"Recurrent Aphthous Stomatitis Improved after Eradication Therapy for Helicobacter pylori", Case Reports in Gastrointestinal Medicine, 2021

2%

Publication

Septian Emma Dwi Jatmika, Muchsin Maulana.
"Dental and Oral Health Education for
Elemetary School Students through Patient
Hygiene Performance Index Indicator",
International Journal of Evaluation and
Research in Education (IJERE), 2018

1 %

B D Prasetyo, N Suprapto, R N Pudyastomo. "The effectiveness of flipped classroom learning model in secondary physics classroom setting", Journal of Physics: Conference Series, 2018

1 %

Publication

Publication

4

Mohammad N. Alshloul. "Oral Health Knowledge, Attitude, and Practice Among

1 %

# School Children in Abha-Saudi Arabia", The Journal of School Nursing, 2021

Publication

Hongguang Zhu, Shouyi Lu, Meirong Wei, Xiaoshan Cai, Guoyou Wang. "Identification of novel genes involved in gingival epithelial cells responding to Aggregatibacter actinomycetemcomitans and Porphyromonas gingivalis infections", Archives of Oral Biology, 2018

1 %

Publication

**Publication** 

Intan Liana, Arnela Nur, Anwar Arbi, Andriani Andriani, Sisca Mardelita, Elfi Zahara, Cut Ratna Keumala. "The Effect of the Implementation of the Education on the Knowledge and Status of Dental Cleanliness in Elderly in Darul Imarah Aceh Besar District, Indonesia", Open Access Macedonian Journal of Medical Sciences, 2021

1 %

Margaretha Herawati, Wardaya, Wawan Mulyawan, Fanny Septiani Farhan, Frans Ferdinal, Sri Widia A. Jusman, Mohamad Sadikin. "Expression of Hypoxia-Inducible Factor-1α and Myoglobin in Rat Heart as Adaptive Response to Intermittent Hypobaric Hypoxia Exposure", HAYATI Journal of Biosciences, 2017

1 %

Publication

8	Taufan Bramantoro, Nafilah Karimah, Agung Sosiawan, R Darmawan Setijanto et al. "Miswak users' behavior model based on the theory of planned behavior in the country with the largest Muslim population", Clinical, Cosmetic and Investigational Dentistry, 2018 Publication	1 %
9	M. T. B. R. SANTOS, M. L. G. NOGUEIRA. "Infantile reflexes and their effects on dental caries and oral hygiene in cerebral palsy individuals", Journal of Oral Rehabilitation, 2005 Publication	1 %
10	Naning K. Utami, Bainah Bainah, Muhammad Pahruddin. "Perbedaan Rata-Rata DMF-T Pada Masyarakat Yang Mengkonsumsi Air Minum Kemasan Isi Ulang Dan Air Sungai Yang Diendapkan", JURNAL KESEHATAN LINGKUNGAN: Jurnal dan Aplikasi Teknik	1 %

Ilmianti Ilmianti, Indrya Kirana Mattulada, Sari Aldilawati, Sarahfin Aslan, Mila Febriany, Muh. Mursyid Hamka. "Media Komunikasi, Informasi dan Edukasi Terhadap Pengetahuan Anak Sekolah Dasar Tentang Kesehatan Gigi Mulut", Sinnun Maxillofacial Journal, 2021

**1** %

Kesehatan Lingkungan, 2020

Publication

Publication

1 %

Publication

Bachtiar, Endang W., Boy M. Bachtiar, Sari Dewiyani, and Siti M. Surono Akbar. "Enterococcus faecalis with capsule polysaccharides type 2 and biofilm-forming capacity in Indonesians requiring endodontic treatment", Journal of Investigative and Clinical Dentistry, 2015.

<1%

Publication

Kazuya Doi, Chihiro Yoshiga, Reiko Kobatake, Maiko Kawagoe, Kaien Wakamatsu, Kazuhiro Tsuga. "Use of an intraoral scanner to evaluate oral health", Journal of Oral Science, 2021

<1%


Publication

Julianty Pradono, Nunik Kusumawardani,
Delima Delima. "Central obesity increases the
risk of type 2 diabetes mellitus among urban
adults", Universa Medicina, 2016

<1%

Malament, K.A.. "Periodontics and prosthodontics: Goals, objectives, and clinical reality", The Journal of Prosthetic Dentistry, 199202

<1%



22

Woro Riyadina Djoeworo, Dian Perwitasari Tasono Hadi, Sulistyowati Tuminah Darjoko. "Motorcycle accident injuries are more severe than other land transportation injuries", Universa Medicina, 2018

<1%

Publication

23

Divya Sachin Gupta, Neha Anandrao Jadhav, Suraj Bhimarao Kanase. "Effect of Diet, Physical Activity, and Psychosocial Factors, on Menstrual Cycle Abnormalities in College Students of Karad, Maharashtra, India", Journal of Evolution of Medical and Dental Sciences, 2021

<1%

Publication

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography Of