internasional 2

Submission date: 10-Aug-2021 02:42PM (UTC+0700)

Submission ID: 1629859306

File name: Jurnal_Dwi_Ariani_2.pdf (421.2K)

Word count: 2204

Character count: 11609

Is it a Common Oral Lichen Planus or a Part of Grinspan's Syndrome?

Dwi Ariani¹, Harum Sasanti², Taufan Bramantoro³

¹Department of Oral Medicine, Faculty of Dentistry, Universitas Prof. Dr. Moestopo, It 22 nesia, ²Department of Oral Medicine, Faculty of Dentistry, Universitas Indonesia, Indonesia, ³Department of Public Health, Faculty of Dental Medicine, Universitas Airlangga, Indonesia

Abstract

Introduction: Grinspan's syndrome has triad of clinical symptoms: Oral Lichen Planus (OLP), diabetes mellitus, and hypertension. OLP is a disorder commonly found in oral mucosa. The symptoms and clinical features are often misdiagnosed which potentially harm the patients.

Discussion: A 74-year-old female had chief complaint of ulcers on the lower lip for 2 years. She had history of diabetes mellitus and hypertension for years. Previously, she went to dentist with an alleged herpes simplex virus infection and was treated with antivirus for a week but no improvement. The patient is diagnosed with erosive type OLP. Exploration was necessary to find out whether it was OLP or part of Grinspan Syndrome.

Conclusion: The diagnosis was Grinspan's Syztrome. Dentists must be familiar with medical management of hypertension and diabetes mellitus to take a role in the diagnosis and treatment of oral lesion with both of diseases in order to maintain optimum health.

Keywords: Grinspan's syndrome, oral lichen planus, diabetes mellitus, hypertension.

16 Introduction

Lichen Planus (LP) is a mucocutaneous disorder present in the chronic squamous epithelium that may affect the mucosal, genital, and skin, including scalp and nails. Oral Lichen Planus (OLP) is the most commonly found oral disease and often found in the buccal mucosa, tongue, palate mole, gingiva, and lips. The clinical features of OLP have one or more of six classical appearances: reticular, erosive, atrophic, plaque, papulla, bullous. The erosive form has a symptom relation ranging from mild discomfort to pain or burning sensation, especially when consuming hot or spicy foods. ¹⁻³ The diagnosis of

Corresponding Author:

Dwi Ariani

15

Faculty of Dentistry, Universitas Prof. Dr. Moestopo, Jakarta, Indonesia.

phone: (+6221) 73885254.

e-mail: dwiariani@dsn.moestopo.ac.id

OLP is obtained from clinical examination and 13 cosal biopsy of the oral cavity if there is no doubt of a clinical diagnosis. The criteria used for histological diagnosis are abnormal keratinization, the presence of stratum granulosum, basal cell degeneration, and inflammatory cell infiltration, such as ribbons dominated by lytoghocyte cells, which are present in connective tissue. 4-9 Grinspan et al found an interesting association between OLP and diabetes mellitus (DM) and vascular hypertension which is then called Grinspan Syndrome. 10 2 This case report is unique because presenting rare case of Grinspan's Syndrome, especially in geriatric.

Case History: A 74-year-old female came with chief complaint of ulcers on lower lip for 2 years. History of fever was denied. A couple months ago patients went to Mecca to perform the pilgrimage. While being there, she could not eat regularly and drink enough. Ulcers on the lips progressively worsened until a week ago when she came to hospital. In the previous treatment, the patient's complaint was diagnosed from herpes simplex

1 Indi

virus infection. She had taken acyclovir for 2 weeks. Her lower lips feel drier, sometimes the brown liquid would come out from the wound. Communication with the patient was constrained by age, she had a limited hearing and memory disorientation. She also suffered from diabetes mellitus and hypertension for years. Blood pressure was 150/90 mmHg and she claimed for taking antihypertensive medication, such as 5 mg Amlodipine twice daily. The patient's blood glucose was above 300mg/dl, and she took Metformin twice daily before and Glimepiride after eating. Even though she regularly consumed drugs for hypertension and diabetes mellitus, blood pressure and blood sugar levels remained above normal. The patient used removable dentures in the upper and lower jaws for 5 years. Since the ulcers on her lips appeared, she felt uncomfortable using her dentures. She had less appetite and sleepless nights. On extra-oral examination, the lower lip border of the vermilion contained brown crust surrounded by erosive areas with white striae. On intraoral examination, there was atrophy and fissure in the dorsal portion of the tongue and all the teeth in the upper and lower jaws have disappeared. Laboratory results of blood tests obtained a rate of sedimentation of blood above the reference value and hemoglobin at the lower limit of the reference value. The possibility was iron deficiency anemia. From the results of clinical examination, the diagnosis of work suspected Liken Planus Oral erosion type with systemic factors diabetes mellitus and hypertension was found. This case was about the Grinspan's Syndrome.

Management for erosive-type OLPs is by using topical corticosteroids on the red lip margin and the use of triamcinolone acetinoid cream ointment 4 times daily on thin lips. Patients were administered with an iron-deficiency anemia by taking multivitamins containing folic acid and ferrous fumarate twice daily for 2 weeks and supportive therapy using Zinc, B, and E once daily. Communication, instruction, and education were emphasized in patients to consume foods high in iron, such as red meat, red beans, red fruits, such as beet, and vegetables. She was also advised to replace her dentures.

After a week of treatment, the patient came back for visit. Patients felt several improvements, especially on the bottom lip. After extra-oral examination, the wound and crust on the lower lip were healed with marked thin red areas on the lower lip, better hygiene of the mouth, and comfort in the mouth was increasing. She used triamcinolone acetinoid cream ointment on her lower lip according to the doctor's instructions, and she felt

the lower lip was softer. She took vitamins according to each dose before breakfast and dinner. She continued to take diabetes and hypertension drugs according to the dose. In general, she felt better than last week and more comfortable when eating.



a



b

Figure 1. Lesions on the lower lip: (a) Before treatment: there was white erosive area and stria on the lower lip with a brown crusted coating; (b) After treatment: the erythema area of the lower lip, crust and erosion disappeared and the white strie fades.






Figure 2. Patient uses removable dentures: (a) Before treatment: erosive areas bordered red lips and lower labial mucosa; (b) After treatment: erythema of the lower lip was still out of the blood point.






Figure 3. Dorsum of the tongue has papillary atrophy and tongue fissure (a) Before treatment: erosive area of the posterior dorsum of the tongue; (b) After treatment: erosive area narrowly oval shaped surrounded by white edges.






Figure 4. Lateral of the right tongue (a) Before treatment: atrophic papilla tongue and erosive area surrounded by a thin white layer (b) After treatment: erosive area disappeared.





Figure 5. Denture hygiene was full of poor release.







Figure 6. Extraoral and fingernails after two weeks of treatment.

Discussion

Lichen planus is common in patients over 50, and more in women than men. With changes in daily diet, patients with OLP consumed too few fresh vegetables and fruits. Stress and emotions can be considered as contributing factors, especially in the exacerbation phase of OLP.^{5,13–16}

Patients with OLP lesions and using drugs related to reactions in the oral mucosa are also a possible implication of the drugs. The patients will experience symptoms described as Grinspan's Syndrome with a wide variety of drugs which now is known as oral lichenoid reactions. The clinical picture will look like a phenomenon of drug reactions and is no longer referred to Grinspan's Syndrome. Clinical manifestations of OLP and medical history suggest that drug consumption may lead to lichenoid changes. It is important to note that the lichenoid response appears as an agent response that amplifies the presence of drug-induced abnormalities rather than the induction of a disease. Clinical response to OLP management is done such as by removing suspected drugs in amplifying OLP or by using suspected drugs in amplifying OLP or by using steroids in OLP lesions. All The main goal of OLP therapy is to reduce the symptoms of pain, remove oral lesions, reduce the risk of oral cancer, and maintain oral hygiene.

Circumstances in the oral cavity reflect the health of the body and systemic diseases. Good dental and oral hygiene are partially 21 pendent on the patients' mental health status. A state of stress, depression, and excessive anxiety lead to the cleanliness of the oral cavity which will be neglected. When experiencing stress, the body releases adrenaline and noradrenaline so that it not only leads to a decrease in blood circulation, but there is the possibility of altering the blood elements needed to maintain the body's resistance to disease. ^{22,23}

In this article, the patient was diagnosed as having Grinspan's Syndrome, which is associated with erosive lichen lanus, diabetes mellitus, hypertension. Dentists must be familiar with medical management of hypertensi and diabetes mellitus patients by taking important role in the diagnosis and treatment of oral lesion with both of diseases in order to contribute to maintain optimum health.

Conclusion

Acknowledgements: All the listed authors contributed to patient's treatment and writing the article, and hereby stated that the manuscript has never been presented as part at a meeting.

Conflict of Interest: All authors reported no conflict of interest of this work

Source of Funding: This study was conducted with individual funding

Ethical Principle: This study is original and accordance with the ethical principle of non maleficence and confidentiality. This article has never been published and is not under consideration in other publications.

References

- Ts N, Kumar S S, Rt A. Grinspan's Syndrome: A Variant. Unique J Med Dent Sci. 2016;04(03):14-16.
- Taranu T, Esanu I, Grigorovici M, Toader MP. GRINSPAN'S SYNDROME. Rom J Oral Rehabil. 2013;5(4):22-26.
- 3. S H, M F, A G, N K. Grinspan's Syndrome-A Case Report. Case Study Case Rep. 2016;6(3):73-78.
- Venugopal A, Maheswari TNU. Drug Delivery Tailored for the Need

 — Case Series of Oral Lichen Planus. J Young Pharm. 2018;10(2):246-248.
- 7 upta S, Jawanda MK. Oral Lichen Planus: An Update on Etiology, Pathogenesis, Clinical Presentation, Diagnosis and Management. Indian J Dermatol. 2015;60(3):222-9.
- 6. 31cy MF, Reade PC, Hay KD. Lichen planus: A theory of pathogenesis. Oral Surgery, Oral Med Oral Pathol. 1983;56(5):521-526.
- 7. 23 on MA, Rogers RS, Bruce AJ. Oral lichen planus. Clin Dermatol. 2016;34(4):495-504.
- Parashar P. Oral Lichen Planus. Otolaryngol Clin North Am. 2011;44(1):89-107.
- Garlapati K, Naik V, Sharma G. The Grinspan Syndrome: "Fact" or "fiction" – A Meta Analysis research. J Pierre Fauchard Acad (India Sect. 2017;31(2-4):84-88.
- Simey PJ, Gibson J, Barclay SC, Miller S.
 Srinspan's syndrome: a drug-induced phenomenon?
 Surg Oral Med Oral Pathol. 1990;70(2):184-5.
- Yuan A, Woo S-B. Adverse drug events in the oral cavity. Oral Surg Oral Med Oral Pathol Oral Radiol. 2015;119(1):35-47.
- 12. 10 kten N, Uzun L, Karadağ AS, Zenginkinet T,
 10 lcıoğlu MT. Grinspan's Syndrome: A Rare Case with Malignant Transformation. Case Rep Otolaryngol. 2018;2018:1-4.
- Avinash T, Kumar S, Sandhya T, Bhalerao S, Periera T, Venkateshwar G. Field Cancerization

- in Lichen Planus An Unusual Case Report. Int J Med Dent. 2012;16(4):319-323.
- Bajpai M, Agarwal D, Bhalla A, VatchalaRani RM,
 Jumar M. Unilateral lichen planus: A rare case
 J Nat Sci Biol Med. 2014;5(2):453-5.
- 15. 12 upaa RJ, Sankari SL, Masthan KMK, Rajesh E.
 28 al lichen planus: An overview. J Pharm Bioallied Sci. 2015;7(Suppl 1):S158-61.
- Goyal L, Gupta ND, Gupta N. Grinspan syndrome with periodontitis: Coincidence or correlation? J Indian Soc Periodontol. 2018;22(3):263-265.
- Sethi E, Gulati M, Kaushal S, Singh OP. Grinspan's Syndrome-Affecting A 46 Year Old Male. Vol 02.; 2015.
- I S, TS D. Grinspan's Syndrome: A Case of The Triad of Oral Lichen Planus, Hypertension and Diabetes Mellitus. ASEAN Meet Dent Public Heal. 2016;1(5):1-9.
- Dudhia B, Dudhia S, Patel P, Jani Y. Oral lichen
 7 anus to oral lichenoid lesions: Evolution or revolution.
 J Oral Maxillofac Pathol.
 2015;19(3):364.
- Sasparis S, Borm JM, Tektas S, et al. Oral lichen sanus (OLP), oral lichenoid lesions (OLL), oral plasia, and oral cancer: retrospective analysis of clinicopathological data from 2002–2011. Oral Maxillofac Surg. 2015;19(2):149-156.
- Huber MA. White oral lesions, actinic cheilitis, and leukogakia: confusions in terminology and definition: Facts and controversies. Clin Dermatol. 2010;28(3):262-268.
- 22. Mhaske SP, SR B. Stress, Psycosomatic Disorders-Pral Reflection. Clin Dent. 2013;7(12):48-55.
- avic L, Cigic L, Biocina Lukenda D, Gruden Gruden Pokupec JS. The role of anxiety,
 ression, and psychological stress on the clinical status of recurrent aphthous stomatitis and oral lichen planus. J Oral Pathol Med. 2014;43(6):410-417

internasional 2

ınte	rnasional	2			
ORIGIN	ALITY REPORT				
2 SIMIL	3% ARITY INDEX	% INTERNET SOURCES	23% PUBLICATIONS	% STUDENT PAPERS	
PRIMAF	RY SOURCES				
1	tourism	Dini, Tonino Pen and the compo a holistic persp 2021	nents of its of	fer 2 %	
2	RAJESH V. LALLA, JOSEPH A. D'AMBROSIO. "Dental management considerations for the patient with diabetes mellitus", The Journal of the American Dental Association, 2001 Publication				
3	•	les of Diabetes l and Business M		0/6	
4	Bohner, "Clinical	aume, Constand Susanne Jung, J characteristics causal context w	ohannes Kleir of oral lichen	nheinz. planus	

materials and oral health-related quality of

life", BMC Oral Health, 2021

Publication

5	"Contemporary Oral Medicine", Springer Science and Business Media LLC, 2019 Publication	1 %
6	Niharika Jha, Bimal Kanish, Anuradha Bhatia. "Unilateral Lichen Planus: A Rare Case Report", Nepal Journal of Dermatology, Venereology & Leprology, 2018 Publication	1 %
7	Farzaneh Agha-Hosseini, Mohammad Samami, Fatemeh Tavakol, Elahe Ghasemzadeh Hoseini. "Oral Lichen Planus or Oral Lichenoid Reaction? A Literature Review", Journal of Islamic Dental Association of IRAN, 2019 Publication	1 %
8	Lacy, M.F "Lichen planus: A theory of pathogenesis", Oral Surgery, Oral Medicine, Oral Pathology, 198311 Publication	1 %
9	Numan Kökten, Lokman Uzun, Ayşe Serap Karadağ, Tülay Zenginkinet, M. Tayyar Kalcıoğlu. "Grinspan's Syndrome: A Rare Case with Malignant Transformation", Case Reports in Otolaryngology, 2018	
10	Lyubomir Dourmishev, Joana Pozharashka. "Dermatoses Associated with Diabetes	1 %

K. Bell. "Periodontics: Gingivitis and early 1 % 11 labour", British Dental Journal, 2016 **Publication** Komali Garlapati, Mayuri Rallabandi, Srinivas 1% 12 Shalini. "An update on investigations of autoimmune diseases affecting orofacial region", Journal of Immunoassay and Immunochemistry, 2019 Publication Bita Rohani, Hassan Shahamatnia, Mostafa 1 % Maddah, Amir Abbas Sameti, Amir Hossein Najafpour, Reza Fekrazad. "Evaluation of the Prevalence of Oral and Maxillofacial Diseases in Submarine Navy Personnel of the Army of the Islamic Republic of Iran", Journal of Archives in Military Medicine, 2016 Publication Bachtiar, Endang W., Boy M. Bachtiar, Sari 1 % Dewiyani, and Siti M. Surono Akbar. "Enterococcus faecalis with capsule polysaccharides type 2 and biofilm-forming

capacity in Indonesians requiring endodontic

treatment", Journal of Investigative and

Clinical Dentistry, 2015.

Publication

15	Franky Franky, Thomas Budiman. "The Analysis of Integrity and Satisfaction Effect on Teacher Loyalty in Kupang", Society, 2021 Publication	1 %
16	Aastha Gupta, Kabir Sardana, Ram Kishan Gautam. "Looking Beyond the Cyclosporine "Swish and Spit" Technique in a Recalcitrant Case of Erosive Lichen Planus Involving the Tongue", Case Reports in Dermatology, 2017 Publication	<1%
17	Dorian A. Hatchuel, Edmund Peters, John Lemmer, Johannes J. Hille, William T. McGaw. "Candidal infection in oral lichen planus", Oral Surgery, Oral Medicine, Oral Pathology, 1990 Publication	<1%
18	Qiao Peng, Jing Zhang, Xiaojing Ye, Gang Zhou. "Tumor-like microenvironment in oral lichen planus: evidence of malignant transformation?", Expert Review of Clinical Immunology, 2017 Publication	<1%
19	Rodrigo Martin - Cabezas. "Peri - implantitis management in a patient with erosive oral lichen planus. A case report", Clinical Case Reports, 2020	<1%

20	Daniela Adamo, Marco Cascone, Antonio Celentano, Elvira Ruoppo, Stefania Leuci, Massimo Aria, Michele D. Mignogna. "Psychological profiles in patients with symptomatic reticular forms of oral lichen planus: A prospective cohort study", Journal of Oral Pathology & Medicine, 2017 Publication	<1%
21	Gavic, Lidia, Livia Cigic, Dolores Biocina Lukenda, Vladimir Gruden, and Josipa Sanja Gruden Pokupec. "The role of anxiety, depression, and psychological stress on the clinical status of recurrent aphthous stomatitis and oral lichen planus", Journal of Oral Pathology and Medicine, 2014.	<1%
22	Ninuk Hariyani, Taufan Bramantoro, Rahul Nair, Ankur Singh, Kaushik Sengupta. "Depression Symptoms and recurrent aphthous stomatitis – evidence from a population - based study in Indonesia", Oral Diseases, 2020 Publication	<1%
23	"Oral Signs of Systemic Disease", Springer Science and Business Media LLC, 2019	<1%
24	Alan S. Boyd, Kenneth H. Neldner. "Reply", Journal of the American Academy of	<1%

Publication

L. A. Torpet. "ORAL ADVERSE DRUG REACTIONS TO CARDIOVASCULAR DRUGS", Critical Reviews in Oral Biology & Medicine, 01/01/2004

<1%

Publication

S. Bakhtiari, J. B. Taheri, P. Toossi, S. Azimi, Sh. Kawosi Nezhad. "Prevalence of oral lichen planus in Iranian children and adolescents: a 12-year retrospective study", European Archives of Paediatric Dentistry, 2017

<1%

Publication

Van Dis, M.L.. "Prevalence of oral lichen planus in patients with diabetes mellitus", Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology, 199506

<1%

Emilia Noemí Cohen Sabban. "Chapter 11 Dermatoses Most Frequently Related to Diabetes Mellitus", Springer Science and Business Media LLC, 2018

<1%

Publication

Milutin Gašperov Nina, Ivan Sabol, Ksenija Božinović, Emil Dediol et al. "DNA Methylome Distinguishes Oropharyngeal and Oral Cancer from Oral Lesions and Healthy Oral Mucosa", Research Square, 2020

<1%

30

PB Sugerman, NW Sabage. "Oral lichen planus: Causes, diagnosis and management", Australian Dental Journal, 2002

<1%

Publication

31

C. Scully. "Update On Oral Lichen Planus: Etiopathogenesis and Management", Critical Reviews in Oral Biology & Medicine, 01/01/1998

<1%

Publication

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography Off