

# Decreasing enamel

*by* Sd Journal 1

---

**Submission date:** 21-May-2023 06:31PM (UTC+0700)

**Submission ID:** 2098254426

**File name:** Decreasing\_Enamel\_Hardness\_to\_Solvents\_Packaged\_Lemon\_Juice.pdf (204.26K)

**Word count:** 3120

**Character count:** 16140

**Decreasing Enamel Hardness to Solvents Packaged Lemon Juice  
(Citrus limon)**Sari Dewiyan<sup>1\*</sup>, Stanny Linda Paath<sup>1</sup>, Siti Annisa Citraresmi<sup>1</sup>

18

1. Department of Conservative, Faculty of Dentistry, Universitas Prof. Dr. Moestopo (Beragama), Jakarta, Indonesia.

**Abstract**

Indonesia is a tropical country that is rich in agricultural products, one of which is fruit, but public knowledge about the effects of lemon consumption on oral health is still very low. The increase in consumption of packaged drinks is evident in the world, including Indonesia. This increase mainly occurred in the younger age group. Riskesdas data (2013) shows the prevalence of the Indonesian population with dental and oral problems as much as 25.9% and according to World Wide Food (2014) Indonesia ranks in the top five in consuming soft drinks.

Explain the decrease in surface hardness of tooth enamel against immersion in a packaged lemon juice solution.

Laboratory Experimental Research (in vitro) with pretest and posttest research designs with group control design. After that, hardness measurements were made using Vickers Micro Hardness.

There was a significant difference from the average surface hardness of the enamel before being soaked in packaged lemon solution and after being soaked in packaged lemon solution ( $p < 0.05$ ).

Based on the results of this study, packaged lemon juice solution can reduce the surface hardness of tooth enamel.

**Experimental article (J Int Dent Med Res 2023; 16(1): 54-58)**

**Keywords:** Packaged lemon juice, hardness, teeth enamel.

**Received date:** 15 September 2022

**Accept date:** 20 December 2022

**Introduction**

Dental and oral health is one of the most important things for the health of every society. In this modern era, people's lifestyles are increasingly diverse. Tooth substance loss associated with erosion by acidic foods and soft drinks is an increasing social problem because it is frequently linked with individual's lifestyle and eating habits. According to experts, the acid content in the food and drinks eaten can damage tooth enamel and cause corrosion of teeth.<sup>1</sup>

Indonesia is a tropical country that is rich in agricultural products, one of which is fruit. Fruits are very popular with many people and consumed by almost everyone because they are refreshing and have many benefits, but public knowledge about the effects of lemon

consumption on oral health is still very low. The increase in consumption of packaged drinks is evident in the world, including Indonesia. This increase mainly occurred in the younger age group.

Riskesdas data (2013) shows the prevalence of the Indonesian population with dental and oral problems as much as 25.9% and according to World Wide Food (2014) Indonesia ranks in the top five in consuming soft drinks.<sup>2</sup> Production of packaged fruit juice at this time has increased by 30%. The development of lemons in Indonesia according to data from the Ministry of Agriculture, lemon production reached 30 tons per month in 2016 on the island of Java.<sup>3</sup>

Citrus limon (L.) Burm. f. is a tree with evergreen leaves and yellow edible fruits from the family Rutaceae. In some languages, C. limon is known as lemon (English), Zitron (German), le citron (French), limón (Spanish), and níngméng, 檸檬 (Chinese). The genus Citrus includes evergreen plants, shrubs or trees (from 3 to 15 m tall). Their leaves are leathery, ovoid or elliptical in shape. Some of them have spikes. The flowers grow individually in leaf axils. Each

**\*Corresponding author:**

Siti Annisa Citraresmi,  
Conservative Study Program, Faculty of Dentistry, Indonesia.  
E-mail: sari.drg@gmail.com; s.dewiyan@dsn.moestopo.ac.id

flower has five petals, white or reddish. Lemon (Citrus limon) is a plant that has properties as natural antioxidants because it contains vitamin C, phenolic acids, coumarins, carboxylic acids, aminoacids, flavonoids, essential oils.<sup>4,5</sup>

Tooth enamel the most highly mineralized tissue in the body, the outermost and most hard layer of the tooth, serves as a protective layer for underlying dentin and pulp. By weight, it is made up of 96% inorganic material, 4% organic material, and a small amount of water. Hydroxyapatite nanocrystal enhances mechanical and physical properties of enamel, including its acid resistance.<sup>6</sup> Enamel may undergo remineralization and demineralization processes. Remineralization is repair process of tooth mineral, while demineralization is process of mineral loss from the tooth surface. The ratio between the process of remineralization and demineralization can determine the hardness and strength of the teeth.<sup>7</sup>

Minerals contained in this tooth structure stability is influenced by the condition of the mouth area, especially the pH of the mouth. It is known that consumption of soft drinks results in an apparent fall in salivary pH. This occurs depending on the intrinsic pH value and buffering capacity of the drinks.<sup>8</sup> Enamel demineralization could occur when the enamel is in an acidic environment (pH below 5.5).<sup>9</sup> However, other important factors including duration, frequency, exposure time and beverage temperature of the drink determines the enamel dissolution abilities of these drinks.<sup>10</sup> Moreover, an organic acid produced by fermentation of sugar contents of the drinks by the microorganisms present in the plaque further lead to demineralization and caries.<sup>11</sup> The process of tooth demineralization begins with the release of calcium from tooth enamel. If this demineralization continues, it will cause the erosion of some of the enamel minerals, and if the infection has reached the dentin, you will feel pain.<sup>12</sup>

When the decrease in pH degrees can cause a progressive interaction between acid ions and hydroxyapatite phosphate. This situation will affect the solubility energy of all crystallites on the enamel surface. The stored fluoride is released in this process, which will react with  $\text{Ca}^{2+}$  and  $\text{HPO}_4^{2-}$ , resulting in remineralization.<sup>13</sup> Currently, there are still many people who do not know about how the effects of the elements in lemon can have an impact on

dental and oral health. For this reason, scientific tests need to be carried out to find out how the effect of the acid from lemon on the hardness of tooth enamel. Based on this, the authors are interested in examining the decrease in lemon

### Materials and methods

The type of research that will be used is Laboratory Experimental Research (in vitro) with a pre-test and post-test research design with a control group design. This research was conducted at the Technical Laboratory of Tarumanegara University. This lab will be the research choice because this lab has a tool to measure the hardness of the tooth surface, namely Vickers Micro Hardness Tester Machine. The time of the study was carried out in April - June 2022. The population in this study was the maxillary second premolars. The sample in this study were 32 maxillary second premolars that met the inclusion criteria. The inclusion criteria in this study were intact crowns, no caries, no fillings. While the exclusion criteria in this study were teeth with caries, fractured teeth.

After getting the results of the measurement of the surface hardness of the tooth enamel, a normality test was carried out by performing the Saphiro Wilk test, then if the data were normal, the Paired T-Test test was carried out, this test was to obtain results before and after soaking lemon and aquadest. Furthermore, for the test between groups after soaking lemon and aquadest, the Independent T-Test test was carried out, if the results were not normal, the Wilcoxon test was carried out.

### Results

This study was conducted to determine the difference in the surface hardness of the enamel before and after soaking in a solution of packaged lemon and aquadest. This study was conducted from 11 April to 17 June 2022 using 32 samples of maxillary second premolars that matched the inclusion and exclusion criteria.

Table 1 shows the research data from observations for 5, 10, 15 and 20 minutes at 7 days and the value of the surface hardness of tooth enamel before and after immersion in a solution of packaged lemon and aquadest using the Vickers micro hardness tester machine in VHN units.

Larutan Lemon		Durasi Perendaman	Aquadest	
Pretest	Posttest		Pretest	Posttest
382.3   368.3		5 Menit	372.5   369.3	
359.3   345.5			345.3   344.6	
362.7   348.3			355.3   354.8	
372.8   358.5			364.2   363.6	
360.3   331.2		10 Menit	348.9   346.8	
358.2   329.4			362.9   360.7	
338.6   309.8			340.5   339.4	
361.2   332.3			340.6   339.1	
339.9   286.2		15 Menit	351.9   349.8	
356.8   300.8			330.8   329.1	
341.2   287.4			361.2   359.6	
320.3   265.4			318.6   317.2	
320.8   235.8		20 Menit	325.2   324.6	
328.6   247.3			361.2   358.3	
336.2   255.3			340.8   337.6	
329.6   251.6			318.9   315.9	

**Table 1.** Research Result Data.

Based on table 2 of the results of the paired T-test, it was obtained a significant value of 0.200 where  $p > 0.05$  that there was no significant difference from the average enamel surface hardness before immersion and after immersion with distilled water, so it can be concluded that there is no significant difference between before and after immersion in distilled water on the hardness of tooth enamel.

Kelompok Data	N	Rerata $\pm$ SD	Sig. (2 tailed)
Sebelum perendaman aquadest –	16	1.70 $\pm$ 1.08	0.200
Sesudah perendaman aquadest			

**Table 2.** Results of the Paired T-Test Aquadest

Based on table 3 of the results of the paired T-test, it was obtained a significant value of 0.000 where  $p < 0.05$  that there was a significant difference from the average surface hardness of the enamel before being soaked in packaged lemon solution and after being soaked in packaged lemon solution, so it can be concluded that there was a significant difference between before and after being soaked by packaged lemon solution on the hardness of tooth enamel.

Kelompok Data	N	Rerata $\pm$ SD	Sig. (2 tailed)
Sebelum perendaman larutan lemon	16	44.73 $\pm$ 26.47	0.000
kemasan – Sesudah perendaman larutan lemon kemasan			

**Table 3.** Results of Paired T-Test of Packaged Lemon Solution.

Based on Table 4 from the results of the Independent T-test, it was obtained a significant value of 0.002 where  $p < 0.05$  that there was a significant difference in the average enamel surface hardness between the immersion of packaged lemon solution and distilled water with the average hardness of tooth enamel. The packaged lemon solution tends to be lower than the aquadest so it can be concluded that the packaged lemon solution has a significant effect on reducing the surface hardness of tooth enamel.

Kelompok Data	Sig. (2 tailed)
Independent T-Test	0.002

**Table 4.** Results of Independent T-Test.

## Discussion

Soft drinks that can erode the surface of the enamel are drinks that contain carbohydrates that are easily fermented and very acidic so that these drinks are not easily removed by saliva. There are several factors that affect the demineralization process, namely the type and concentration of acid, carbohydrate content, and the degree of acidity (pH). There has also been increased interest in the dental effects of soft drink beverages due to the escalating (an increase of 56%, rising approximately 2-3% per year) consumption by children and adolescents over the last decade.<sup>14</sup> This study aims to determine the effect of packaged lemon solution and aquadest as a control treatment with a concentration of 100% on tooth enamel demineralization by looking at changes in the value of tooth enamel hardness. In this study, the hardness test was carried out twice, namely before being treated with packaged lemon solution and aquadest and after being treated.

To test the surface hardness of tooth enamel using the Vickers Micro Hardness Tester Machine because this tool is used to see the hardness in tooth enamel. The duration of immersion of tooth enamel in this study was 5 minutes, 10 minutes, 15 minutes and 20 minutes. This is based on the Fraunhofer JA study, the process of exposure between tooth enamel and a solution occurs for 20 seconds before mixing with saliva, if it is calculated in a year as much as 90,000 seconds or 25 hours per year, so the interpretation of time in this study can describe



the consumption of drinks in a year.<sup>15</sup>

Simy Mathew et al research, explained that the effect of carbonated drinks depends on the pH and acidity of the drink to determine the extent of the potential tooth damage possible. Lemon juice caused significant reduction of the tooth structure at irregular levels and increased drastically as the incubation time varied. In the present study the loss of structure for teeth immersed in fresh lemon juice was seen to increase significantly from 1 week to a period of 30 days.<sup>16</sup> Performed on 32 dental samples. The initial enamel hardness measurement was carried out before treatment. The measurement results show the average value for the entire sample, which is 339.568 VHN. The results of the study were included in the normal hardness category of tooth enamel, which ranged from 250 to 360 VHN. This result is also not much different from the study of Shishir Shetty et al, which showed that the average hardness of tooth enamel was 229.06-335.64 VHN.<sup>17</sup> The samples were then treated using a packaged lemon solution and control using aquadest, then measured the pH of the packaged lemon solution and aquadest using a digital pH meter. After being treated, the 32 samples were recalculated the surface hardness of the enamel.

The measurement results show the average value of tooth enamel hardness after being given a packaged lemon solution of 328.4 VHN. Enamel damage also does not depend only on pH but the buffer capacity of the drink because each beverage solution has a different concentration and buffer capacity so that it has a different erosive effect when in contact with the tooth enamel surface. The higher the buffer capacity, the greater the erosion that occurs on the tooth surface because the buffer increases the demineralization process. Tooth erosion begins with the release of calcium ions and if this continues it will cause partial loss of the enamel prism, if it continues it will cause porosity. Porosity causes the surface hardness of tooth enamel to decrease.

A large decrease in the surface hardness of tooth enamel due to immersion in an acidic drink is in accordance with previous research, which states that if there is a decrease in one unit of pH, it will cause the rate of calcium release by 19.5 times, the lower the pH or the more acidic, the higher the rate of calcium release. reaction to the release of calcium from tooth enamel. Based

on the results of the independent t-test, it showed that the average enamel surface hardness between the immersion of packaged lemon solution and distilled water with the average tooth enamel hardness resulted in a significant change ( $p < 0.05$ ).

## Conclusions

Based on the results of research on differences in the hardness of tooth enamel soaked with packaged lemon solution and distilled water in vitro, there are several conclusions, namely:

1. There was a decrease in the hardness of tooth enamel after soaking with a packaged lemon solution.
2. There was a decrease in the hardness of tooth enamel after soaking with distilled water.
3. There were significant changes before and after soaking with packaged lemon solution.
4. There was no significant change to the change in the surface hardness of the tooth enamel in aquadest immersion.
5. There is a significant difference in changes in the surface hardness of tooth enamel between packaged lemon solution and aquadest.

## Declaration of Interest

The authors report no conflict of interest.

## References

1. Al-Amri I, Albounni R, Binalrimat S. Evaluation of the effect of soft drinks on the surface roughness of dental enamel in natural human teeth: Research Article. *Journal F1000Research*. 2021; 10(1138): 3-6.
2. Fitriati N, Trisnawati E, Hernawan DA. Perilaku Konsumsi Minuman Ringan (*Soft Drink*) dan pH Saliva dengan Kejadian Karies Gigi. *Unnes Journal of Public Health*. 2017; 6(2): 113-114.
3. Saindra GA, Meidya R, Nilakeseuma. The Effect of Immersions of The Teeth in Fresh Orange Juice and Commercial Orange Juice to The Enamel Hardness: In Vitro Study. *Jurnal Kedokteran Gigi*. 2013; 1(1): 2-3.
4. Szczykutowicz KM, Szopa A, Ekiert H. Citrus limon (Lemon) Phenomenon-A Review of the Chemistry, Pharmacological Properties, Applications in the Modern Pharmaceutical, Food, and Cosmetics Industries, and Biotechnological Studies. *Journal Plants*. 2020; 9(11): 1-2.
5. Dosoky SN, Setzer NW. Biological Activities and Safety of Citrus spp. Essential Oils. *International Journal of Molecular Sciences*. 2018; 19:1-6.
6. Sooksompien P, Sirimaharaj V, Wanachantararak S. Carbonated Soft Drinks Induced Erosive Changes on Enamel Surfaces of Primary Teeth: SEM-EDS Analysis: Experimental

- Article. Journal of International Dental and Medical Research. 2022; 15(3): 1046-1049.
7. Adiba HS, Effendy R, Zubaidah N. Fluoride Varnish Effect on Dental Erosion Immersed with Carbonated Beverages: Experimental Article. Journal of International Dental and Medical Research. 2018; 11(1): 299-300. 13
  8. Shroff P, Gondivkar MS, Kumbhare PS, et al. Analyses of the Erosive Potential of Various Soft Drinks and Packaged Fruit Juices on Teeth: Original Article. The Journal of Contemporary Dental Practice. 2018; 19(12): 1548-1549. 11
  9. Rajeev G, Lewis JA, N S. A time based objective evaluation of the erosive effects of various beverages on enamel and cementum of deciduous and permanent teeth. J Clin Exp Dent. 2020; 12(1): 4-5. 2
  10. Kumar N, Amin F, Hashem D, et al. Evaluating the pH of Various Commercially Available Beverages in Pakistan: Impact of Highly Acidic Beverages on the Surface Hardness and Weight Loss of Human Teeth. Journal Biomimetics. 2022; 7(102): 2-3. 11
  11. Goel I, Navit S, Mayall SS, et al. Effects of carbonated drinks and fruit juices on salivary pH of children: an in-vitro study. Int J Sci Study. 2013; 1: 67-68. 16
  12. Adhani R, Widodo, Sukmana BI, et al. Effect of pH on Demineralization Dental Erosion. International Journal of Chemical Engineering and Applications. 2015; 6(2): 140-141.
  13. Kaidonis J. The Oral Environment and The Main Causes of Tooth Structure Loss. In: Townsend J, McIntyre, Richards LC, Hume WR. Mount GJ editor, Hume WR editor, Ngo HC editor, Wolff MS editor. Preservation and Restoration of Tooth Structure. 3rd ed. Chichester, West Sussex: Wiley Blackwell; 2016:1-21. 6
  14. Dhanker K, Ingle AN, Kaur N. Effect of Commercial and Domestic Beverages on Calcium Release from Enamel Surfaces: Original Research. Journal of Advanced Oral Research. 2013; 4(2): 7-8. 8
  15. Anthony V, Fraunhofer J, Roger MM. Dissolution of Dental Enamel in Soft Drinks. General Dentistry. 2015; 52(4): 310-311. 8
  16. Mathew S, Luke MA, Walia T, et al. Effect of Fruit Juices and Other Beverages on Loss of Tooth Structure. Original Research. Journal Pesq Bras Odontoped Clin Integr. 2018; 6(1): 7-8. 6
  17. Shetty S, Hegde MN, Bopanna TP. Enamel Remineralization Assessment After Treatment With three different remineralizing agents using surface microhardness: An in vitro study. Journal of Conservative Dentistry. 2014; 17(1).

# Decreasing enamel

## ORIGINALITY REPORT

24%

SIMILARITY INDEX

%

INTERNET SOURCES

24%

PUBLICATIONS

%

STUDENT PAPERS

## PRIMARY SOURCES

- 1 Ibrahim Al-Amri, Roula Albounni, Sultan Binalrimal. "Evaluation of the effect of soft drinks on the surface roughness of dental enamel in natural human teeth", F1000Research, 2021 3%

Publication
- 2 Angelo Michele Inchingolo, Giuseppina Malcangi, Laura Ferrante, Gaetano Del Vecchio et al. "Damage from Carbonated Soft Drinks on Enamel: A Systematic Review", Nutrients, 2023 3%

Publication
- 3 Klimek-Szczykutowicz, Szopa, Ekiert. "Citrus limon (Lemon) Phenomenon—A Review of the Chemistry, Pharmacological Properties, Applications in the Modern Pharmaceutical, Food, and Cosmetics Industries, and Biotechnological Studies", Plants, 2020 3%

Publication
- 4 Kuldeep Dhanker, Navin Anand Ingle, Navpreet Kaur. "Effect of Commercial and 2%

## Domestic Beverages on Calcium Release from Enamel Surfaces", Journal of Advanced Oral Research, 2018

Publication

5

Shailesh M. Gondivkar, Amol R. Gadbail, Rima S. Gondivkar, Sachin C. Sarode et al.

"Nutrition and oral health", Disease-a-Month, 2019

Publication

2%

6

Deli Mona. "ANALISIS PERBEDAAN KEKERASAN PERMUKAAN ENAMEL GIGI ANTARA PERENDAMAN DALAM JUS MANGGA DAN JUS JAMBU BIJI MERAH SECARA IN VITRO", Human Care Journal, 2021

Publication

1%

7

Giovanni Enrico Lombardo, Santa Cirmi, Laura Musumeci, Simona Pergolizzi et al.

"Mechanisms Underlying the Anti-Inflammatory Activity of Bergamot Essential Oil and Its Antinociceptive Effects", Plants, 2020

Publication

1%

8

Naresh Kumar, Faiza Amin, Danya Hashem, Sara Khan et al. "Evaluating the pH of Various Commercially Available Beverages in Pakistan: Impact of Highly Acidic Beverages on the Surface Hardness and Weight Loss of Human Teeth", Biomimetics, 2022

Publication

1%



9

Chen-Tzu Chiu, Jyun-Kai Cao, Pei-Wen Wang, Ya-Na Wu, Yao-Chang Lee, Yeau-Ren Jeng, Dar-Bin Shieh, Robert R. Reisz. "Mammalian tooth enamel functional sophistication demonstrated by combined nanotribology and synchrotron radiation FTIR analyses", iScience, 2022

Publication

1 %

10

S A Gumilang, R Meidyawati, N Djauharie. "Assessing the impact of immersing teeth in fresh orange juice and commercial orange juice on enamel hardness: an in vitro study", Journal of Physics: Conference Series, 2018

Publication

1 %

11

Kailash C Dash, Abikshyeet Panda, Lipsa Bhuyan, Bikramaditya Ghosh, Imon Pal. "Dissolution of Enamel on Exposure to Various Commercial Beverages Available in India", The Journal of Contemporary Dental Practice, 2017

Publication

1 %

12

Mojgan Pourmohammad, Mina Maheri, Hamid Reza Khalkhali, Alireza Didarloo. "The Effect of an Educational Intervention Based on the Theory of Planned Behavior (TPB) on Self-Care Behavior and Glycosylated Hemoglobin (HbA1c) Levels in Patients With

1 %

13

Yukiko Yamada, Koji Watanabe, Shiika Hara, Katsura Saeki, Kenshi Maki. "Effects of Zinc, Iron, and Copper on Bovine Enamel Erosion Evaluated Using Transverse Microradiography", Health, 2020

Publication

1 %

14

Sabtria Winda Sari, Erika ., Awaluddin ., Winda Ulan Sari. "The Effect of Warm Ginger Water Foot Bath on Blood Pressure Reduction in Hypertensive Elderly at Sialang Baru", KnE Medicine, 2023

Publication

1 %

15

Hyun-Jin Kim, Feng Chen, Changqing Wu, Xi Wang, Hau Yin Chung, Zhengyu Jin. "Evaluation of Antioxidant Activity of Australian Tea Tree ( ) Oil and Its Components ", Journal of Agricultural and Food Chemistry, 2004

Publication

1 %

16

Aulia Rifada, Bannan Muthi'atul Afidah, Wafa Aufia, Agnia Vibriani et al. "Effect of Nano Hydroxyapatite in Toothpaste on Controlling Oral Microbial Viability", IOP Conference Series: Materials Science and Engineering, 2020

Publication

<1 %

17

Haoxiang Li, Guangjun He, Qinghe Song, Haiting Xia, Zhiqiang Liu, Jing Liang, Ting Li. "The Study of Tooth Erosion Tested by the Color Digital Holography (CDH) Detection System", Applied Sciences, 2022

Publication

<1 %

18

Tjokro Prasetyadi, Bambang Irawan, Miesje Karmiati Purwanegara, Bambang Suharno, Sugeng Supriadi. "Orthodontic Bracket Friction Affected by Design Selection Material and Manufacturing Process", Applied Mechanics and Materials, 2022

Publication

<1 %

19

"Personalized Food Intervention and Therapy for Autism Spectrum Disorder Management", Springer Science and Business Media LLC, 2020

Publication

<1 %

20

Bagheri Imane, Yousefi Hojatollah, Bahrami Masoud, Shafie Davood. "Inter-professional Palliative Care based on Mental Health in Patients with Heart Failure: a quasi-experimental study", Research Square Platform LLC, 2023

Publication

<1 %

21

Vivian Isabella Seshie, Jerry Samuel Yao Kuma, Nikao Adziman Lasidzi. "Surface Water Quality

<1 %

## Trends in the Tarkwa Mining Area: 1993 – 2013", Research Square Platform LLC, 2022

Publication

22

Masoume Rambod, Mahnaz Rakhshan, Sara Tohidinik, Mohammad Hossein Nikoo. "The effect of lemon inhalation aromatherapy on blood pressure, electrocardiogram changes, and anxiety in acute myocardial infarction patients: A clinical, multi-centered, assessor-blinded trial design", Complementary Therapies in Clinical Practice, 2020

Publication

<1 %

23

Barry M. Owens, Michael Kitchens. "The Erosive Potential of Soft Drinks on Enamel Surface Substrate: An In Vitro Scanning Electron Microscopy Investigation", The Journal of Contemporary Dental Practice, 2007

Publication

<1 %

24

Zhou ShengLu, Liao FuQiang, Wu ShaoHua, Zhang HongFu, Ren Kui. "Heavy metals contents in soil profiles of typical agricultural lands in Yixing, Jiangsu Province, China", Science Bulletin, 2008

Publication

<1 %

Exclude bibliography Off