

Susi R Puspitadewi

by Radja Erland Hamzah

Submission date: 11-Dec-2023 10:14AM (UTC+0700)

Submission ID: 2191980212

File name: download.pdf (238.72K)

Word count: 4424

Character count: 24808

2 Differences in Periodontal Severity Between Perimenopausal and Postmenopausal Women with Chronic Periodontitis

Pitu Wulandari¹, Sri Lelyati Chaidar Masulili², Lindawati Soetanto Kusdhany³, Fatimah Maria Tadjoedin⁴, Susi Relawaty Puspitadewi⁵, Ali Baziad⁶

¹ Doctoral Program, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0001-8337-2691](#)
² Department of Periodontics, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0003-3641-5358](#)
³ Department of Prosthodontics, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0003-1877-8737](#)
⁴ Doctoral Program, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0002-8767-0941](#)
⁵ Doctoral Program, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0001-5353-2869](#)
⁶ Department of Obstetrics and Gynecology, Faculty of Medicine, Universitas Indonesia, Jakarta, Indonesia. [ID 0000-0003-0694-7433](#)

23
Author to whom correspondence should be addressed: Sri Lelyati C. Masulili, Department of Periodontics, Faculty of Dentistry, Universitas Indonesia, Jl. Salemba Raya No. 4, Jakarta 10430, Indonesia. Phone: +6287877178393. E-mail: srilelyati@yahoo.com. [ID 0000-0003-3641-5358](#)

47
Academic Editors: Alessandro Leite Cavalcanti and Wilton Wilney Nascimento Padilha

Received: 25 February 2019 / Accepted: 26 June 2019 / Published: 22 July 2019

Abstract

Objective: To analyze the differences in periodontal severity between perimenopausal and postmenopausal women with chronic periodontitis. **Material and Methods:** A cross-sectional study with 63 subjects, comprising 27 perimenopausal and 36 postmenopausal women, aged 45–59 years, was conducted in East Jakarta. The women were interviewed regarding their perimenopausal and postmenopausal status; they underwent a periodontal examination for periodontal pockets, attachment loss, gingival recession, plaque index, debris index, calculus index, oral hygiene index, papilla bleeding index, and tooth mobility. Independent T-test and Mann-Whitney U test were used for bivariate analysis. **Results:** There were significant differences ($p < 0.05$) in age between perimenopausal and postmenopausal women ($p = 0.01$); however, no significant differences ($p > 0.05$) in gingival recession ($p = 0.33$) or tooth mobility ($p = 0.84$) were observed. Independent t-test revealed no significant differences in pocket depth ($p = 0.95$), attachment loss ($p = 0.71$), plaque index ($p = 0.89$), debris index ($p = 0.52$), calculus index ($p = 0.46$), oral hygiene index ($p = 0.48$), or papilla bleeding index ($p = 0.63$) between perimenopausal and postmenopausal women. **Conclusion:** There was no difference in periodontal severity between perimenopausal and postmenopausal women; however, the current study obtained valuable information regarding periodontal severity in perimenopausal and postmenopausal women.

Keywords: Periodontal Diseases; Oral Hygiene; Perimenopause; Postmenopause.

Introduction

The prevalence and severity of gingivitis increase at the peak age of 21–30 years, whereas those of periodontitis increases significantly in individuals aged >40 years. The severity of periodontitis may increase with age [1]. Various studies have shown that the prevalence of periodontitis is generally lower in women than in men; however, this is not observed in the older population [2].

The proportion of elderly women with periodontitis continues to increase; a more prolonged life indicates that more disability increases are associated with chronic infections, including periodontitis. Puberty, menstruation, pregnancy, and menopause are the stages that occur in the life of women; these stages affect their physical condition, particularly the condition of the oral cavity. This is inseparable from the biological and endocrinological changes that occur in the body, such as hormonal changes that affect our health [2,3].

Steroid sex hormones play an important role in the development of periodontal disease. Estrogen is a steroid sex hormone associated with periodontal health. Estrogen receptors are expressed in the periodontium and mucosa of the oral cavity; thus, the levels of this hormone are directly related to the condition of the oral cavity [4]. Previous authors showed a complex interaction among steroid hormones, periodontal tissues, and microorganisms in perimenopausal and postmenopausal women [5].

The perimenopausal phase is the menopausal transition period that spans the last few years prior to the last menstrual period and ends 12 months after; this phase can last from 4–10 years. Perimenopause, commonly referred to as climacteric, is a period of crucial physical, emotional, and psychological changes in a woman's life [6]. The postmenopausal phase begins approximately 12 months after menopause. The transitional period before menopause can be psychologically traumatic and confusing because there is sadness regarding the loss of reproductive ability; however, a simultaneous feeling of being free from the monthly routine and finding a new status toward maturity is experienced [7]. Postmenopausal estrogen deficiency affects the immune system because it plays a role in improving the body's immune system. Changes in the immune system make individuals susceptible to the development of periodontitis [8,9].

Postmenopausal women have a higher risk of periodontitis than premenopausal women [10]. This is consistent with the findings that postmenopausal women have a significantly higher plaque index than premenopausal and perimenopausal women. This indicates that postmenopausal women can have more severe periodontal destruction than premenopause and perimenopause [11].

This menopausal symptom is a consequence of aging and is sometimes painless. Generally, women who enter the stage of menopause experience discomfort in the oral cavity [4,7]. The present study aimed to analyze the differences in periodontal severity between perimenopausal and postmenopausal patients with chronic periodontitis.

Material and Methods

Study Design

This cross-sectional study was conducted in East Jakarta with perimenopausal and postmenopausal women aged 45–59 years having chronic periodontitis. Demographic data were obtained via interview. Women with a history of oophorectomy, hormone replacement therapy, diabetes mellitus, smoking, or periodontal treatment in the six months prior to examination were excluded.

Data Collection

Perimenopause is a condition in which a woman has not yet entered menopause and often suffers from amenorrhea, which lasts for at least 60 days, or an extension of the menstrual cycle for >7 days, and has experienced at least three symptoms of menopause, whereas postmenopause is a condition in which a woman has stopped menstruating for >12 months in a row. Perimenopause and postmenopausal status were determined by interviewing the subject. Did the subject feel pain during menstruation before; Did the subject's menstrual cycle extend long before?; How long has the subject not been menstruating? [12–14].

Periodontal severity assessment was performed through clinical examination of the pocket depth, attachment loss, gingival recession, plaque index, debris index, calculus index, oral hygiene index, papilla bleeding index, and mobility using a dental mirror, an UNC 15 Color Probe (Hufriedy Mfg. Co., LLC, Chicago, IL, USA) with a black band for each millimeter up to 15 millimeters and dental explorer [15]. Chronic periodontitis was diagnosed on the basis of the results of clinical examination of pocket depth, attachment loss, and gingival recession on six sides of each tooth: the mesiobuccal, midbuccal, distobuccal, mesiolingual/palatal, midlingual/palatal, and distolingual/palatal surfaces. The pocket depth was measured from the base of the pocket to the gingival margin, and attachment loss in the tooth with recessed gingiva was measured as the depth of the pocket plus the distance from the cementoenamel junction to the gingival margin (gingival recession); when the gingival margin was at the cementoenamel junction, the attachment loss was equal to the pocket depth; however, if gingiva enlargement was observed, the attachment loss was considered as pocket depth minus the distance from the gingival margin to the cementoenamel junction [16–18].

The examination was conducted twice by the same examiner; first, all the teeth (except the third molar and radix) were checked; then, the examiner re-examined them one hour later [19–21]. A single examiner performed all clinical examinations, with the aid of one dental assistant for recording purposes. The intra-examiner agreement between clinical examinations was good, with an error rate of only ± 1 mm.

Examination of the plaque index was performed on four sides of each tooth: the distofacial, facial, mesiofacial, and lingual surfaces. The Greene and Vermillion Oral Hygiene Index (OHI) was calculated by summing the debris and calculus indices of each subject. Examination of the debris and calculus indices was performed on two sides of each tooth: the buccal and palatal/lingual surfaces. The papilla bleeding index was examined at the palatal surface for the upper right maxillary area,

whereas for the upper left maxillary area, it was examined at the buccal surface. For the lower-left mandibular area, the examination was performed at the lingual surface, whereas for the lower right mandibular area, the examination was performed at the buccal surface. Examination of mobility was performed by applying pressure to each tooth using the ends of two instruments and trying to rock the tooth gently in a buccolingual direction and calculating the number of mobile teeth in each subject [22-24].

Data Analysis

Data were analyzed using IBM SPSS Statistics Software, version 20 (IBM Corp., Armonk, NY, USA). Statistical analysis was performed using the Kolmogorov-Smirnov test for data normality test, in addition to independent T-test and Mann-Whitney U test for bivariate analysis, with a significance level set at 5%.

Ethical Aspects

All subjects approved and signed informed consent prior to enrolment in the study, which was approved by the Dental Research Ethics Committee (KEPKG), Faculty of Dentistry, Universitas Indonesia.

Results

Initially, 65 women were willing to participate; however, two women refused to fast while being examined; thus, 63 women (27 perimenopausal and 36 postmenopausal) were enrolled. Perimenopausal women had an average of 4.14 ± 1.16 symptoms of menopause, whereas, in postmenopausal women, the mean duration of menopause was 6.16 ± 4.62 years (Table 1).

Table 1. Distribution of participants according to demographic and menopausal characteristics.

Variables	Mean (SD)
Age (Years)	51.10 (± 4.62)
Number of Pregnancies	2.73 (± 1.71)
Number of Menopausal Years	6.16 (± 4.62)
Number of Menopausal Symptoms	4.14 (± 1.16)

The mean pocket depth of the teeth in the women was lower than the average value of attachment loss. Attachment loss had the highest mean value among the periodontal parameters, whereas tooth mobility had the lowest mean value (Table 2).

The minimum age of perimenopausal and postmenopausal women was the same, i.e., 45 years (Table 3). There was a significant difference ($p < 0.05$) in age between perimenopausal and postmenopausal women; however, no significant difference ($p > 0.05$) was observed in a gingival recession or tooth mobility. No significant difference ($p > 0.05$) in the pocket depth, attachment loss, plaque index, debris index, calculus index, OHI, or papilla bleeding index between perimenopausal and postmenopausal women were observed.

Table 2. Distribution of participants according to periodontal parameters.

Periodontal Parameters	Mean (SD)
Pocket Depth (mm)	1.68 (± 0.41)
Attachment Loss (mm)	2.65 (± 0.74)
Gingival Recession (mm)	0.97 (± 0.47)
Plaque Index	1.11 (± 0.53)
Debris Index	1.20 (± 0.53)
Calculus Index	0.93 (± 0.48)
Oral Hygiene Index	2.13 (± 0.98)
Papilla Bleeding Index	1.96 (± 0.97)
Number of Mobile Teeth (Per Subject)	0.71 (± 1.28)

The mean pocket depth of the teeth in the women was lower than the average value of attachment loss. Attachment loss had the highest mean value among the periodontal parameters, whereas tooth mobility had the lowest mean value (Table 3).

5
Table 3. Difference in the periodontal severity between perimenopausal and postmenopausal women.

Variables	Perimenopausal		Postmenopausal		p-value
	Mean (SD)	Min-Max	Mean (SD)	Min-Max	
Age (Years)	47.33 (± 2.49)	45-55	53.92 (± 3.76)	45-59	0.01 ^a *
Pocket Depth (mm)	1.67 (± 0.38)	0.83-2.53	1.68 (± 0.43)	1.07-3.35	0.95 ^b
Attachment Loss (mm)	2.61 (± 0.83)	1.08-4.88	2.68 (± 0.67)	1.57-4.35	0.71 ^b
Gingival Recession (mm)	0.93 (± 0.56)	0.10-2.47	0.99 (± 0.41)	0.19-1.94	0.33 ^a
Plaque Index	1.12 (± 0.55)	0.14-2.33	1.10 (± 0.53)	0.31-2.11	0.89 ^b
Debris Index	1.15 (± 0.57)	0.15-2.55	1.23 (± 0.49)	0.26-2.32	0.52 ^b
Calculus Index	0.88 (± 0.51)	0.06-2.05	0.97 (± 0.46)	0.08-2.20	0.46 ^b
Oral Hygiene Index	2.03 (± 1.06)	0.21-4.61	2.21 (± 0.92)	0.34-4.25	0.48 ^b
Papilla Bleeding Index	1.89 (± 1.08)	0.07-3.50	2.01 (± 0.89)	0.36-3.44	0.63 ^b
No. of Mobile Teeth (Per Subject)	0.88 (± 1.55)	0.00-6.00	0.58 (± 1.05)	0.00-4.00	0.84 ^a

^aMann-Whitney U test; ^bIndependent T-test; *Statistically Significant.

Discussion

49
The mean age of the women was 51.10 ± 4.62 years (range, 45-59). The minimum age of 45 years corresponds to the age at which follicular cells, which are a measure of ovarian function, begin to degenerate. This is consistent with the findings of the study by Ahsan et al. that the average age of menopause is 45 years [25]. The maximum eligible age for enrolment in the present study was 59 years because individuals aged ≥60 years are considered elderly in Indonesia and were not included in the study [26].

The average number of pregnancies in the women of the present study was 2.73 ± 1.71, indicating that the average number of children per subject was 2-3. The number of pregnancies affects the aged of natural menopause, where women who have more children enter menopause longer [27].

2
Perimenopause is the turning point for physical, emotional, and psychological changes in a woman's life. During this phase, various symptoms occur with different degrees, ranging from low, middle, high, to very high, occurring gradually between the age of 40 and 50 years. Steroid sex

hormone levels vary during perimenopause, resulting in a hormonal imbalance; during this menopausal transition, there is a decrease in estrogen production [11,28,29], triggering inflammation that manifests in an increase in the release of pro-inflammatory cytokines, resulting in decreased physical function [30]. Estrogen receptors are highly expressed in the periodontium; thus, a hormonal imbalance in perimenopausal and postmenopausal women significantly affects the periodontium [11,28]. This is consistent with previous findings that the highest prevalence of oral discomfort is observed during the perimenopausal and postmenopausal (43%) periods as compared with that in the premenopausal period (6%) [4].

The severity of periodontitis based on attachment loss is divided into three levels: mild (1–2 mm), moderate (3–4 mm), and severe (≥ 5 mm) [31]; thus, women in the present study had moderate severity (2.65 ± 0.74 mm) (Table 2). Oral hygiene status of the subjects is divided into three categories: good (0–1.2), moderate (1.3–3.0), and bad (3.1–6.0) [32]; hence, women in the present study had moderate oral hygiene (2.13 ± 0.98) (Table 2). This is consistent with previous findings that there is a relationship between periodontal status and oral hygiene [32].

Natural menopausal age worldwide is 45–55 years. In the present study, there was a significant difference in age between perimenopausal and postmenopausal women ($p < 0.01$). The mean age of perimenopausal women in the present study was 47.33 ± 2.49 years, consistent with similar findings [33], whereas that of postmenopausal women was 53.92 ± 3.76 years. Understanding age-related factors at menopause is important because early menopause can increase risk factors for diseases associated with estrogen deficiency, such as osteoporosis [33].

In the present study, there were no differences in the pocket depth, attachment loss, or gingival recession between perimenopausal and postmenopausal women ($p > 0.01$). Menopause does not significantly affect the severity of periodontal disease or tooth loss. Various other factors are considered to affect the progression of periodontal disease versus menopause alone [34]. There is no difference in pocket depth or attachment loss between postmenopausal women who received hormone therapy than those who did not [35].

Estrogen deficiency causes women to experience oxidative stress as well as periodontitis; polymorphonuclear (PMN) cells actively produce reactive oxygen species, causing oxidative stress and inducing periodontal damage [11]. Women have higher attachment loss than men [36]. Hormonal fluctuations occur during the menopausal transition period. Reduced estrogen levels result in increased pro-inflammatory cytokine release because estrogen plays an important role in the inhibition of cytokines such as interleukin-1, resulting in chronic periodontitis [30,37]. Qasim et al. found significant differences in the calculus index, plaque index, pocket depth, and salivary flow between premenopausal and postmenopausal women [38].

The present study found no differences in oral hygiene between perimenopausal and postmenopausal women (Table 3); however, the mean oral hygiene level in both groups of women was moderate (Table 2), and oral hygiene is associated with oral health, which is becoming a public health concern [38]. In the present study, the plaque and papilla bleeding indices were higher in

postmenopausal than in perimenopausal women, although the difference was not significant. The previous study demonstrated that there is no difference in the plaque and papilla bleeding indices between postmenopausal women with osteopenia and osteoporosis [39].

Periodontitis occurs as a result of bacterial interactions with the host, which cause initiation of the immune response and lead to the loss of collagen support from teeth and induction of alveolar bone loss, the latter of which can lead to tooth mobility [40]. In the present study, both groups had women with mobile teeth; however, this number was greater in perimenopausal women than in postmenopausal women. There was no difference in the number of subjectivity gears between perimenopausal and postmenopausal women (Table 3). This study was a cross-sectional study where the data analysis showed a descriptive and difference of periodontal status between perimenopause and postmenopause, but could not show a cause-effect relationship of this matter so that this became one of the limitations in this study in addition to the small number of subjects.

Conclusion

The primary cause of periodontitis is a bacterial plaque, in which estrogen hormone deficiency is one of the factors that contribute to periodontal damage. In the present study, no difference was found in periodontal severity between perimenopausal and postmenopausal women; however, the present study obtained valuable information regarding periodontal severity in perimenopausal and postmenopausal women.

Authors' Contributions: PW contributed to conception and data design, performed the experiment, analysis, and interpretation and wrote the manuscript; SLCM contributed to conception, data design, analysis, interpretation and critically revised the manuscript; LSK contributed to conception and data design, interpretation and critically revised the manuscript; FMT and SRP performed the experiments and AB contributed to critically revised the manuscript.

Financial Support: Hibah PITTA 2018 and funded by DRPM Universitas Indonesia (No. 2160/UN2.R3.1/HKP.05.00/2018).

Conflict of Interest: The authors declare no conflicts of interest.

References

- [1] Hossain ZM, Fageeh HN, Elagib MFA. Prevalence of periodontal diseases among patients attending the outpatient department at the College of Dentistry, King Khalid University, Abha, Saudi Arabia. *City Dent Coll J* 2013;10(1):9-12. <https://doi.org/10.3329/cdcj.v10i1.13835>
- [2] Gupta N, Sprouse L, Sadeghi G, Thacker H, Williams Palomo L. Social determinants of health and periodontitis postmenopausal women. *J Dent Dental Med* 2018; 1(1):1-6. <https://doi.org/10.31021/jddm.20181106>
- [3] Suri V, Suri V. Menopause and oral health. *J MidLife Health* 2014; 5(3):115-20. <https://doi.org/10.4103/0976-7800.141187>
- [4] Meurman JH, Tarkkila L, Tiitinen A. The menopause and oral health. *Maturitas* 2009; 63(1):56-62. <https://doi.org/10.1016/j.maturitas.2009.02.009>
- [5] Tarkkila L, Kari K, Furuholm J, Tiitinen A, Meurman JH. Periodontal disease-associated micro-organisms in perimenopausal and post-menopausal women using or not using hormone replacement therapy. A two-year follow-up study. *BMC Oral Health* 2010; 10:10. <https://doi.org/10.1186/1472-6831-10-10>

- [6] Rodríguez-Landa JF, Puga-Olguín A, Germán-Ponciano LJ, García-Ríos RI, Soria-Fregozo C. Anxiety in Natural and Surgical Menopause - Physiologic and Therapeutic Bases. In: Durbano F. A Fresh Look at Anxiety Disorders. London: IntechOpen; 2015. p. 173-196. <https://doi.org/10.5772/60621>
- [7] Sakthalkar MN. Awareness of middle aged women about changes and it's effect on health during menopause. Rev J 2014; 4(3):1-5.
- [8] Mohan RPS, Gupta A, Kamarthi N, Malik S, Goel S, Gupta S. Incidence of oral lichen planus in perimenopausal women: A cross sectional study in western Uttar pradesh population. J MidLife Health 2017; 8(2):70-4. https://doi.org/10.4103/jmh.JMH_34_17
- [9] Bhat SP, Saloda N, Bhat N, Saloda N. Assessment of periodontal status of postmenopausal women attending dental clinics. Int J Recent Sci Res 2017; 8(3):16089-94. <https://doi.org/10.24327/ijrsr.2017.0803.0072>
- [10] Varghese T, Madhumala R, Ravi RS, Varghese A. Evaluation of periodontal status among premenopausal and postmenopausal women - A Comparative Study. Ann Int Med Dent Res 2016; 2(6):46-9. <https://doi.org/10.21276/aimdr.2016.2.6.DE10>
- [11] Chandra RV, Sailaja S, Reddy AA. Estimation of tissue and crevicular fluid oxidative stress marker in premenopausal, perimenopausal and postmenopausal women with chronic periodontitis. Gerodontology 2017; 22(3):382-9. <https://doi.org/10.1111/ger.12279>
- [12] Nayak G, Kamath A, Kumar P, Rao A. A study of quality of life among perimenopausal women in selected coastal areas of Karnataka, India. J MidLife Health 2012; 3(2):71-5. <https://doi.org/10.4103/0976-7800.104456>
- [13] Kim MJ, Cho J, Ahn Y, Yim G, Park HY. Association between physical activity and menopausal symptoms in perimenopausal women. BMC Womens Health 2014; 14:122. <https://doi.org/10.1186/1472-6874-14-122>
- [14] Tor JC. Clearing confusion perimenopause. BC Med J 2005; 47(10):538-42.
- [15] Zimmermann H, Hagenfeld D, Diercke K, El-Sayed N, Fricke J, Greiser KH, et al. Pocket depth and bleeding on probing and their associations with dental, lifestyle, socioeconomic and blood variables: A cross-sectional, multicenter feasibility study of the German national cohort. BMC Oral Health 2015; 15:7. <https://doi.org/10.1186/1472-6831-15-7>
- [16] Singh A, Sharma RK, Tewari S, Narula SC. Correlation of tooth mobility with systemic bone mineral density and periodontal status in Indian women. J Oral Sci 2012; 54(2):177-82. <https://doi.org/10.2334/josnurd.54.177>
- [17] Nield-Gehrig JS. Fundamentals of Periodontal Instrumentation and Advanced Root Instrumentation. 6th. ed. Baltimore: Wolters Kluwer / Lippicott Williams & Wilkins; 2008. p. 441-453.
- [18] Michalowicz BS, Hodges JS, Pihlstrom BL. Is change in probing depth a reliable predictor of change in clinical attachment loss? J Am Dent Assoc 2013; 144(2):171-8. <https://doi.org/10.14219/jada.archive.2013.0096>
- [19] Hill EG, Slate EH. A semi-parametric bayesian model of inter- and intra-examiner agreement for periodontal probing depth. Ann Appl Stat 2014; 8(1):331-51. <https://doi.org/10.1214/13-AOAS688>
- [20] Drucker SD, Prieto LE, Kao DW. Periodontal probing calibration in an academic setting. J Dent Educ 2012; 76(11):1466-73.
- [21] Zanatta FB, Ardenghi TM, Antoniazzi RP, Pinto TM, Rösing CK. Association between gingival bleeding and gingival enlargement and oral health-related quality of Life (OHRQoL) of subjects under fixed orthodontic treatment: A cross-sectional study. BMC Oral Health 2012; 12:53. <https://doi.org/10.1186/1472-6831-12-53>
- [22] Bathla S. Epidemiology of Gingival and Periodontal Diseases. In: Bathla S. Periodontal Revisited. New Delhi: Jaypee Brothers Medical Publishers; 2011. pp. 48-51.
- [23] Bathla S. Clinical diagnosis. In: Bathla S. Periodontal Revisited. New Delhi: Jaypee Brothers Medical Publishers; 2011. pp. 215-229.
- [24] Mistry S, Kundu D, Bharati P. Epidemiology: It's Application in Periodontics. In: Manakil J. Periodontal Diseases - Clinician's Guide. London: IntechOpen; 2012. pp. 254-278.
- [25] Ahsan M, Mallick AK, Singh R, Prasad RR. Assessment of menopausal symptoms during perimenopause and menopause in tertiary Care Hospital. J Basic Clin Reprod Sci 2015; 4(1):14-9. <https://doi.org/10.4103/2278-960X.153516>
- [26] Adioetomo SM, Ijahid G. Indonesia on the threshold of population ageing. UNFPA Indones Monogr Series 1. Available at: https://indonesia.unfpa.org/sites/default/files/pub-pdf/BUKU_Monograph_No1_Ageing_03_Low-27.pdf. [Accessed on December, 14 2018]
- [27] Golshiri P, Akbari M, Abdollahzadeh MR. Age at natural menopause and related factors in Isfahan, Iran. J Menopausal Med 2016; 22(2):87-93. <https://doi.org/10.6118/jmm.2016.22.2.87>
- [28] Pavićin IS, Dumančić J, Jukić T, Badel T. The relationship between periodontal disease, tooth loss and decreased skeletal bone mineral density in ageing women. Gerodontology 2017; 34(4):441-5. <https://doi.org/10.1111/ger.12290>
- [29] Santoro N. Perimenopause: From research to practice. J Womens Health 2016; 25(4):332-9. <https://doi.org/10.1089/jwh.2015.5556>
- [30] Malutan AM, Dan M, Nicolae C, Carmen M. Proinflammatory and anti-inflammatory cytokine changes related to menopause. Prz Menopauzalny 2014; 13(3):162-8. <https://doi.org/10.5114/pm.2014.43818>

- [31] Qathani NA Al JB, Deepthi A, KB, Vijayakumari. Prevalence of chronic periodontitis and its risk determinants among female patients in the Aseer Region of KSA. J Taibah Univ Med Sci 2017; 12(3):241-8. <https://doi.org/10.1016/j.jtumed.2016.11.012>
- [32] Umoh A, Azodo C. Association between periodontal status, oral hygiene status and tooth wear among adult male population in Benin City, Nigeria. Ann Med Health Sci Res 2013; 3(2):149-54. <https://doi.org/10.4103/2141-2418.113652>
- [33] Hakimi S, Mirghafurvand M, Seiedin SA. Comparative study of climacteric symptoms in perimenopausal and postmenopausal women in Tabriz, Islamic Republic of Iran. East Mediterr Health J 2010; 16(11):1165-9. <https://doi.org/10.26719/2010.16.11.1165>
- [34] Alves RC, Félix SA, Rodriguez-Archilla A, Oliveira P, Brito J, Dos Santos JM. Relationship between menopause and periodontal disease: A cross-sectional study in a Portuguese population. Int J Clin Exp Med 2015; 8(7):11412-9.
- [35] Pizzo G, Guiglia R, Licata ME, Pizzo I, Davis JM, Giuliana G. Effect of hormone replacement therapy (HRT) on periodontal status of postmenopausal women. Med Sci Monit 2011; 17(4):PH23-7. <https://doi.org/10.12659/MSM.881700>
- [36] Masulili LC, Tadjoedin FM, Masulili C, Gita F, Indrasari M, Kusdhany LS. Periodontal attachment loss and bone mineral density in elderly patients. J Int Dent Med Res 2016; 9(3):233-6.
- [37] Wicaksono A, Masulili SLC, Sulijaya B, Kemal Y, Auerkari EI. Analysis of interleukin-1 α level in the severity of chronic periodontitis influenced of smoking habit. J Int Dent Med Res 2017; 10(Special Issue):429-33.
- [38] Qasim AA, Al-Nuaimy KMT, Ahmed A. Assessment of periodontal status among premenopausal and postmenopausal women in Mosul city. J Edu Sci 2012; 25(1):73-6.
- [39] Melkumyan TV, Khasanova LE, Kamilov KP. Periodontal status of postmenopausal women. Int J Biomed 2014; 4(2):104-6.
- [40] Noronha G, Hedge M. Evaluation of the effect of post-menopause on dental health. Indian J Appl Res 2015; 5(12):92-3. <https://doi.org/10.15373/2249555X>

ORIGINALITY REPORT

42%

SIMILARITY INDEX

%

INTERNET SOURCES

42%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

- 1

Edmond Pradipta Andrianus, Sri Lelyati C. Masulili, Robert Lessang, Fatimah Maria Tadjoedin et al. "Immunoglobulin G Levels in the Gingival Crevicular Fluid of Menopausal Patients with Periodontitis", Pesquisa Brasileira em Odontopediatria e Clínica Integrada, 2021

Publication

4%
- 2

Dimas I. Hutomo, Sri Lelyati C. Masulili, Fatimah M. Tadjoedin, Lindawati S. Kusdhany. "Serum Alkaline Phosphatase and Calcium in Relation to Periodontal Status among Perimenopausal and Postmenopausal Women", The Open Dentistry Journal, 2021

Publication

3%
- 3

Alexandra Clauss, Ali Sie, Pascal Zabre, Jörg Schmoll, Rainer Sauerborn, Stefan Listl. "Population-Based Prevalence of Oral Conditions as a Basis for Planning Community-Based Interventions: An Epidemiological Study From Rural Burkina Faso", Frontiers in Public Health, 2021

2%

4

Isaïc van der Waal. "Burning Mouth Disease", Springer Science and Business Media LLC, 2021

Publication

1 %

5

Ashish Jain, Neeta V. Bhavsar, Amrit Baweja, Aman Bhagat, Anchal Ohri, Vishakha Grover. "Gender-Associated Oral and Periodontal Health Based on Retrospective Panoramic Radiographic Analysis of Alveolar Bone Loss", IntechOpen, 2020

Publication

1 %

6

Ahmed I. Soliman, Michael J. LaMonte, Kathleen M. Hovey, Daniel I. McSkimming et al. "Relationship between the subgingival microbiome and menopausal hormone therapy use: The Buffalo OsteoPeriostudy", Journal of Periodontology, 2022

Publication

1 %

7

Fernanda W. Machado Luz, Alexandre Emídio Ribeiro Silva, Ana Paula Perroni, Marília L. Goettems, Noéli Boscato. "Impact of Seniors Centers on oral health-related quality of life of older adults", Revista de Saúde Pública, 2020

Publication

1 %

8

Ahmed Zafer Alshabab, Monsour Heba Almakrami, Faisal Hassan Almilaq, Ibrahim

1 %

Saleh Alhareth et al. "Periodontal Disease Status in a Population at Najran Province of Saudi Arabia", European Journal of Dental and Oral Health, 2021

Publication

9

Cyanna Joseph D'souza, Santhakumar Haripriya, Harish Sreekantan Krishna. "The association between physical activity and menopause-related quality of life", International Journal of Therapy and Rehabilitation, 2021

Publication

1 %

10

Cinta Nurindah Sari, Fadli Jazaldi, Nada Ismah. "Association Between Psychosocial Status and Orthodontic Treatment Needs in Indonesian High School Students", Pesquisa Brasileira em Odontopediatria e Clínica Integrada, 2020

Publication

1 %

11

Pallavi Petkar, Amith HV, Vinayak Kamath, Bhanupriya Thakur. "Assessment of oral hygiene, periodontal status, dentition status and treatment needs among detainees in juvenile detention centres, of Madhya Pradesh", Journal of Dental Health, Oral Disorders & Therapy, 2018

Publication

1 %

12

Cesar Soria-Fregozo, Maria Isabel Perez-Vega, Juan Francisco Rodríguez-Landa, León Jesús Germán-Ponciano et al. "Chapter 6 Association of 5-HT1A Receptors with Affective Disorders", IntechOpen, 2017

Publication

13

Marwa Madi, Eman Bakhurji, Ali Alghwainem, Ali Alamer, Salma Alarfaj, Soha AlRatroot, Verica Pavlic. "Prevalence of Bone Loss in Mandibular Future Abutment Teeth among Diabetic and Non-Diabetic Patients: A Retrospective Case-Control Study", The Open Dentistry Journal, 2022

Publication

14

Yunhee Lee, Inah Kim, Jaechul Song, Kyung-Gyun Hwang, Boyoul Choi, Seung-Sik Hwang. "The relationship between hormone replacement therapy and periodontal disease in postmenopausal women: a cross-sectional study the Korea National Health and Nutrition Examination Survey from 2007 to 2012", BMC Oral Health, 2019

Publication

15

Changchang Li, Xiaoqiong Tang, Xiaoyan Zheng, Shuqi Ge, Hao Wen, Xiaoqiong Lin, Zhiwei Chen, Liming Lu. "Global Prevalence and Incidence Estimates of Oral Lichen Planus", JAMA Dermatology, 2020

1 %

1 %

1 %

1 %

16

Farzana Saleh, Palash Chandra Banik, Begum Rokeya, Md. Anower Hussain Mian, Nigar Sultana, Abu Torab M A Rahim. "Assessment of quality of life (QoL) among postmenopausal women in Mohammadpur Geneva camp, Dhaka, Bangladesh using modified menopause rating scale (MRS) tool: A cross-sectional study", Research Square Platform LLC, 2022

Publication

1 %

17

"Poster Abstracts", Journal Of Clinical Periodontology, 2012.

Publication

1 %

18

Eunsuk Ahn, Yunhee Lee. "The Relationship between Hormone Replacement Therapy and Periodontal Disease in Postmenopausal Women", Journal of Dental Hygiene Science, 2018

Publication

1 %

19

Ana Carolina Cintra Nunes Mafra, João Luiz Miraglia, Fernando Antonio Basile Colugnati, Gilberto Soares Lourenço Padilha et al. "A prospective evaluation of inter-rater agreement of routine medical records audits at a large general hospital in São Paulo, Brazil", BMC Health Services Research, 2020

Publication

1 %

20

Konrad Jamka, Piotr Adamczuk, Agata Skowrońska, Iwona Bojar, Grzegorz Raszewski. "Assessment of the effect of estradiol on biochemical bone turnover markers among postmenopausal women", *Annals of Agricultural and Environmental Medicine*, 2021

Publication

1 %

21

Deepa Sara John, Nina Shenoy. "Assessment of Oral Manifestations, Periodontal Status, and Vitamin D Levels in Postmenopausal Women: A Cross-sectional Study", *World Journal of Dentistry*, 2022

Publication

1 %

22

Surya Bahadur Parajuli, Heera KC, Seema Kumari Mishra, Anish Luitel. "Quality of Life among Postmenopausal Women: A Community-based Cross-sectional Study", *Journal of BP Koirala Institute of Health Sciences*, 2021

Publication

1 %

23

Syifa Ahliya, Bambang Tri Hartomo, Angger Waspodo Dias Adrianto, Agoeng Tjahajani Sarwono, Elza Ibrahim Auerkari. "Sex Identification Based on Tooth Crown Trait Analysis Among the Mongoloid Race", *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*, 2020

1 %

24

Zeinab Javadivala, Hamid Allahverdipour, Mohammad Asghari Jafarabadi, Azita Emami. "An Interventional strategy of physical activity promotion for reduction of menopause symptoms", Health Promotion Perspectives, 2020

Publication

25

Sunita Sah, Sajeew Shrestha, Pujan Acharya, Khushbu Adhikari. "Comparison between Measurements of Clinical Attachment Level and Transgingival Probing with Alveolar Bone Crest Level in Chronic Periodontitis Patients", Journal of BP Koirala Institute of Health Sciences, 2023

Publication

26

Richa, , Yashoda R, Manjunath P. Puranik, and Amit Shrivastava. "Association between osteoporosis and periodontal disease among postmenopausal Indian women", Journal of Investigative and Clinical Dentistry, 2016.

Publication

27

Maryam Azizi Kutenae, Sareh Dashti, Shideh Rafati, Mehresa Moannaei et al. "Factors predicting age at menopause among Iranian women in the Bandare-Kong cohort study (a cross-sectional survey of PERSIAN cohort study)", Women's Midlife Health, 2023

Publication

1 %

1 %

1 %

1 %

28	"Poster", Journal Of Clinical Periodontology, 2015. Publication	<1 %
----	--	------

29	"Contemporary Oral Medicine", Springer Science and Business Media LLC, 2019 Publication	<1 %
----	--	------

30	Iryna Mazur, Bassymbek Dilbarkhanov, Xeniya Kuracha, Volodymyr Novoshytskyy, Iryna Suprunovych, Kairat Zhakipbekov. "Periodontal status and bone metabolism in women in reproductive and postmenopausal periods", Hormone Molecular Biology and Clinical Investigation, 2020 Publication	<1 %
----	--	------

31	Masayo Sunaga, Masato Minabe, Koji Inagaki, Atsuhiro Kinoshita. "Effectiveness of a Specially Designed Dental Model for Training, Evaluation, and Standardization of Pocket Probing", Journal of Dental Education, 2016 Publication	<1 %
----	--	------

32	Asri Maharani. "Childhood Socioeconomic Status and Cognitive Function Later in Life: Evidence From a National Survey in Indonesia", Journal of Geriatric Psychiatry and Neurology, 2019 Publication	<1 %
----	--	------

- | | | |
|---|--|----------------|
| <div style="background-color: #800080; color: white; padding: 2px 5px; display: inline-block;">33</div> | <p>José Antonio Gil-Montoya, Macarena Garrido-Martínez, Rocío Barrios-Rodríguez, Pablo Ramos-García et al. "Association between low bone mineral density and periodontitis in generally healthy perimenopausal women", <i>Journal of Periodontology</i>, 2020</p> <p>Publication</p> | <p><1 %</p> |
| <hr/> | | |
| <div style="background-color: #6b8e23; color: white; padding: 2px 5px; display: inline-block;">34</div> | <p>Shuhong Yang, Suzhen Yuan, Xiaofan Zhang, Sheng Wang, Jingyi Wen, Mingfu Wu, Lu Shen. "Chapter 3 The Systemic Effects of Ovarian Aging", Springer Science and Business Media LLC, 2023</p> <p>Publication</p> | <p><1 %</p> |
| <hr/> | | |
| <div style="background-color: #000080; color: white; padding: 2px 5px; display: inline-block;">35</div> | <p>Singh, Anuradha, Rajinder K. Sharma, Shikha Tewari, and Satish C. Narula. "Correlation of tooth mobility with systemic bone mineral density and periodontal status in Indian women", <i>Journal of Oral Science</i>, 2012.</p> <p>Publication</p> | <p><1 %</p> |
| <hr/> | | |
| <div style="background-color: #000080; color: white; padding: 2px 5px; display: inline-block;">36</div> | <p>M. Naeem, E. J. Burton, D. V. Scholey, A. Alkhtib, S. Broadberry. "Use of wheat dilution to improve digestive function in broilers: application in low protein diets", <i>British Poultry Science</i>, 2023</p> <p>Publication</p> | <p><1 %</p> |
| <hr/> | | |
| <div style="background-color: #800000; color: white; padding: 2px 5px; display: inline-block;">37</div> | <p>Wolf, Herbert F., and Thomas M. Hassell. "Periodontitis", <i>Color Atlas of Dental Hygiene Periodontology</i>, 2006.</p> | <p><1 %</p> |

38

Endang Winiati Bachtiar, Atikah Cyntia Putri, Boy Muchlis Bachtiar. "Salivary nitric oxide, Simplified Oral Hygiene Index, and salivary flow rate in smokers and non-smokers: a cross-sectional study", F1000Research, 2019

Publication

<1 %

39

Fahimeh Anbari, Anahita Ashouri Moghaddam, Elham Sabeti, Azin Khodabakhshi. " Halitosis: or oral factors ", Helicobacter, 2019

Publication

<1 %

40

Kimi H. Kan-Rohrer, Cheryl H. Terpak, Frank J.M. Verstraete. "Instrumentation, aseptic technique, and patient preparation", Elsevier BV, 2020

Publication

<1 %

41

Zanatta, Fabricio Batistin, Thiago Machado Ardenghi, Raquel Pippi Antoniazzi, Tatiana Militz Perrone Pinto, and Cassiano Kuchenbecker Rösing. "Association between gingival bleeding and gingival enlargement and oral health-related quality of life (OHRQoL) of subjects under fixed orthodontic treatment: a cross-sectional study", BMC Oral Health, 2012.

Publication

<1 %

- | | | |
|----|--|------|
| 42 | Jan E Clarkson, Nigel B Pitts, Beatriz Goulao, Dwayne Boyers et al. "Risk-based, 6-monthly and 24-monthly dental check-ups for adults: the INTERVAL three-arm RCT", Health Technology Assessment, 2020
Publication | <1 % |
| 43 | "Poster Sessions", International Journal of Paediatric Dentistry, 2013.
Publication | <1 % |
| 44 | Mohamed I. Masoud, Reem Allarakia, Najlaa M. Alamoudi, Romesh Nalliah, Veerasathpurush Allareddy. "Long-term clinical and bacterial effects of xylitol on patients with fixed orthodontic appliances", Progress in Orthodontics, 2015
Publication | <1 % |
| 45 | Abdul Jabbar Al Hayyan, Sri Mardjiati Mei Wulan, Reni Hendrarati Masduchi, Nuniek Nugraheni et al. "Validity and reliability of the loco-check questionnaire after cross-cultural adaptation for Indonesia", Journal of Orthopaedic Science, 2021
Publication | <1 % |
| 46 | Elizabeth Ray, Jacqueline A Maybin, Joyce C Harper. "Perimenopausal women's voices: How does their period at the end of reproductive life affect wellbeing?", Post Reproductive Health, 2023 | <1 % |

47

Swastika Bhattacharya, Tina Puthen Purayil, Kishore Ginjupalli, Sandya Kini, Swathi Pai. "Effect of Thermocycling on the Colour Stability of Aesthetic Restorative Materials: An in-vitro Spectrophotometric Analysis", Pesquisa Brasileira em Odontopediatria e Clínica Integrada, 2020

Publication

<1 %

48

Xiangyan Ruan, Yamei Cui, Juan Du, Fengyu Jin, Alfred Otto Mueck. "Prevalence of climacteric symptoms comparing perimenopausal and postmenopausal Chinese women", Journal of Psychosomatic Obstetrics & Gynecology, 2016

Publication

<1 %

49

Jeffrey Frederico Lui-Filho, Adriana Orcesi Pedro, Luiz Francisco Baccaro, Lucia Costa-Paiva. "Risk factors associated with intensity of climacteric symptoms in Brazilian middle-aged women", Menopause, 2018

Publication

<1 %

50

Daniel Hagenfeld, Heiko Zimmermann, Katja Korb, Nihad El-Sayed et al. "Periodontal Health and Use of Oral Health Services: A Comparison of Germans and Two Migrant Groups", International Journal of

<1 %

51

Marília Leal Ferreira Lago, Ana Emilia Figueiredo de Oliveira, Fernanda Ferreira Lopes, Elza Bernardes Ferreira et al. "The influence of hormone replacement therapy on the salivary flow of post-menopausal women", Gynecological Endocrinology, 2014

Publication

<1 %

52

Nanda Rachmad Putra Gofur, Nurdiana Nurdiana, Kusworini Handono, Handono Kalim. "Periodontal Tissue Condition on Systemic Lupus Erythematosus Patients: A Clinical Study", Pesquisa Brasileira em Odontopediatria e Clínica Integrada, 2020

Publication

<1 %

53

Valentin Varlas, Ioanina Parlatescu, Dragos Epistatu, Vlad Dima, Roxana Georgiana Bors, Roxana Elena Bohiltea, Paula Perlea. "Menopause and oral health", Romanian Journal of Stomatology, 2021

Publication

<1 %

54

"OPENING LECTURE", Gynecological Endocrinology, 2009

Publication

<1 %

55

Anusha Bitra, B Jhansi Rani, Anuj S Parihar, Gopinath P Vynath, Shekhar Grover. "Gingival

<1 %

Crevicular Fluid Turnover Markers in Premenopausal vs Postmenopausal Women receiving Orthodontic Treatment", The Journal of Contemporary Dental Practice, 2017

Publication

56

Jonathan M. Broadbent. "Dental restorations: a risk factor for periodontal attachment loss?", Journal Of Clinical Periodontology, 11/2006

Publication

57

Philipp Winnand, K. Olaf Boernsen, Mark Ooms, Marius Heitzer, Matthias Lammert, Jörg Eschweiler, Frank Hölzle, Ali Modabber. "The role of potassium in depth profiling of the tumor border in bone-invasive oral cancer using laser-induced breakdown spectroscopy (LIBS): a pilot study", Journal of Cancer Research and Clinical Oncology, 2023

Publication

58

Susi R. Puspitadewi, Lindawati S. Kusdhany, Sri Lelyati C. Masulili, Pitu Wulandari, Hanna B. Iskandar, Elza I. Auerkari. "The Role of Parathyroid Hormone in Alveolar Bone Resorption on Postmenopausal Women", The Open Dentistry Journal, 2020

Publication

59

D.C. Penoni, T.K.S. Fidalgo, S.R. Torres, V.M. Varela, D. Masterson, A.T.T. Leão, L.C. Maia.

<1 %

<1 %

<1 %

<1 %

"Bone Density and Clinical Periodontal Attachment in Postmenopausal Women: A Systematic Review and Meta-Analysis", Journal of Dental Research, 2017

Publication

60

Inês Marques Santos Silva, Mafalda Paula Pinto, Diana Gonçalves. "Educational Programs and Sexual Counselling for Postmenopausal Sexual Dysfunction: A Systematic Review and Meta-Analysis", The Journal of Sexual Medicine, 2022

Publication

61

J. S. Passos, M. I. P. Vianna, I. S. Gomes-Filho, S. S. Cruz et al. "Osteoporosis/osteopenia as an independent factor associated with periodontitis in postmenopausal women: a case-control study", Osteoporosis International, 2012

Publication

62

Kristina Bertl, Mehdi Al-Hotheiry, David Sun, John Olofsson, Stefan Lettner, Klaus Gotfredsen, Andreas Stavropoulos. "Are colored periodontal probes reliable to classify the gingival phenotype in terms of gingival thickness?", Journal of Periodontology, 2021

Publication

63

Kuldeep Singh, Pooja Singh, Gurpreet Oberoi. "Comparative studies between herbal

<1 %

<1 %

<1 %

<1 %

toothpaste (dantkanti) and non-herbal tooth paste", International Journal of Dental Research, 2016

Publication

64

Michael S. Bobola, Lucas Chen, Chikodinaka K. Ezeokeke, Katy Kuznetsova et al. "A Review of Recent Advances in Ultrasound, Placed in the Context of Pain Diagnosis and Treatment", Current Pain and Headache Reports, 2018

Publication

65

Supanee Thanakun, Suchaya Pornprasertsuk-Damrongsri, Chantida Pawaputanon Na Mahasarakham, Suteera Techatanawat, Yuichi Izumi. "Increased Plasma Osteocalcin, Oral Disease, and Altered Mandibular Bone Density in Postmenopausal Women", International Journal of Dentistry, 2019

Publication

66

"Periodontitis", Springer Science and Business Media LLC, 2022

Publication

67

Bahia Namavar Jahromi, Rosyna Adibi, Sadaf Adibi, Leila Salarian. "Periodontal Disease as a Risk Factor for Preeclampsia", Women's Health Bulletin, 2014

Publication

<1 %

<1 %

<1 %

<1 %

68

F Rafini, M Priaminiarti, I Sukardi, R Lessang. "Digital radiographic evaluation of alveolar bone loss, density and lamina dura integrity on post splinting mandibular anterior with chronic periodontitis", Journal of Physics: Conference Series, 2017

Publication

<1 %

69

F.X. Andi Wiyanto, Sri Lelyati C. Masulili, Elza Ibrahim Auerkari, Fatimah Maria Tadjoedin. "The relationship between interleukin-18 level in smokers and chronic periodontitis: radiographic overview of posterior mandibular teeth", Journal of Stomatology, 2018

Publication

<1 %

70

Febriana Setiawati, Risqa Rina Darwita, Fatiany Fadillah, Mellisa Adiatman, Sri Angky Soekanto, Gita Ariffa Sjarkawi. "Effectiveness of Dental Health Education Intervention Using the 16-Surface Tooth Brushing Program Among 7-9-Year-Old Schoolchildren in Indonesia", Pesquisa Brasileira em Odontopediatria e Clínica Integrada, 2020

Publication

<1 %

71

Figen Alp Yilmaz, Dilek Avci. "The relationship between personality traits, menopausal symptoms and marital adjustment", Health Care for Women International, 2021

Publication

<1 %

72

Ilaria Dicembrini, Lapo Serni, Matteo Monami, Mariasmeralda Caliri, Luigi Barbato, Francesco Cairo, Edoardo Mannucci. "Type 1 diabetes and periodontitis: prevalence and periodontal destruction—a systematic review", *Acta Diabetologica*, 2020

Publication

<1 %

73

Kehinde Adesola Umeizudike, Patricia Omowunmi Ayanbadejo, Kofoworola Olaide Savage, Alani Sulaimon Akanmu et al. "Prevalence and Determinants of Chronic periodontitis in HIV positive patients in Nigeria", *Asian Pacific Journal of Tropical Disease*, 2014

Publication

<1 %

74

Ki-Yeol Park, Min-Ho Kim, Seong-Ho Choi, Eun-Kyoung Pang. "Association of periodontitis with menopause and hormone replacement therapy: a hospital cohort study using a common data model", *Journal of Periodontal & Implant Science*, 2023

Publication

<1 %

75

Lisdrianto Hanindriyo, Elastria Widita, Rini Widyaningrum, Bambang Priyono, Dewi Agustina. "Influence of residential characteristics on the association between the oral health status and BMI of older adults in Indonesia", *Gerodontology*, 2018

<1 %

76

Monterrey Marks, Christine L. Hitchcock, Poornima Sathi, Jerilynn C. Prior. "Community Pharmacists' Therapeutic Recommendations for Heavy Flow, Androgen Excess, Fragility Fractures and Night Sweats in Menstruating Women", Canadian Pharmacists Journal / Revue des Pharmaciens du Canada, 2010

Publication

<1 %

77

Novita Intan Arovah, Kristiann C. Heesch. "Verification of the Reliability and Validity of the Short Form 36 Scale in Indonesian Middle-aged and Older Adults", Journal of Preventive Medicine and Public Health, 2020

Publication

<1 %

78

Qunyan Xu, Cathryne P. Lang. "Examining the relationship between subjective sleep disturbance and menopause", Menopause, 2014

Publication

<1 %

79

Ruzuta Khushal Bhai Dabhi, Aditi Mathur, Neema Shetty, Barkha Makhijani, Balaji Manohar, Ashish Bali. "Effect of Menopause on Periodontium - Is There A Link?", Journal of Nepalese Society of Periodontology and Oral Implantology, 2019

Publication

<1 %

80 Selin Yilmaz, Ismail Arslan, Duygu Yengil Taci. "The effect of physical activity and depressive mood on menopausal symptoms in postmenopausal women", International Journal of Clinical Practice, 2021
Publication <1 %

81 "ORALS", Journal Of Clinical Periodontology, 7/2006
Publication <1 %

82 Surajit Mistry, Debabrata Kundu, Premananda Bharati. "Chapter 4 Epidemiology: It's Application in Periodontics", IntechOpen, 2012
Publication <1 %

83 Xinyu Wang, Xiangru Huang, Xin Gao, Hongyuan Xu et al. "Differentiation potential of periodontal Col1+ cells under orthodontic force", Mechanobiology in Medicine, 2023
Publication <1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off